

AAAASF Medicare 6.8.5**AAAASF Medicare 7.0**

Updated					
			100.000.000		

Added					
			100.010.005	B,C-M,C	
					There must be a written screening protocol for venous

Added					
			100.010.010	B,C-M,C	
					The facility should have a scheduling policy that includes

Added					
			100.010.011	A,B,C-M,C	

Added					
			100.010.080	B,C-M,C	
					A licensed anesthesia provider supervising or providing care

Added					
			100.010.085	B,C-M,C	
					The surgeon and the licensed or qualified anesthesia provider

Added					
			100.010.090	A,B,C-M,C	
					A patient who by reason of pre-existing or other medical

Added					
-------	--	--	--	--	--

AAAASF Medicare 6.8.5**AAAASF Medicare 7.0**

			200.020.005	A,B,C-M,C	
			The facility displays a professional appearance that is in		

Added					
			200.020.015	B,C-M,C	
			The operating suite includes operating room(s), a prep/scrub		

Added					
			200.020.025	A	
			An exam room may function as an operating room.		

Added					
			200.020.027	A,B,C-M,C	
			Each operating room must be designed and equipped so that		

Added					
			200.020.035	A,B,C-M,C	
			The operating room(s) is adequately ventilated and		

Added					
			200.020.055	A,B,C-M,C	
			Each operating room is of a size adequate to allow for the		

Added					
			200.020.065	A,B,C-M,C	
			Unauthorized individuals are deterred from entering the		

Added					
			200.020.075	A,B,C-M,C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

					Sterile supplies are labeled to indicate sterility, and are
--	--	--	--	--	---

Added					
			200.020.085	A,B,C-M,C	
					If one sink is used both for dirty instruments and to scrub for

Added					
			200.020.095	A,B,C-M,C	
					Each operating room: Has appropriate lighting.

Added					
			200.025.001	A,B,C-M,C	
					The O.R. storage space is: Properly cleaned, maintained and

Added					
			200.025.005	A,B,C-M,C	
					There is adequate operating room storage space to hold

Added					
			200.025.010	A,B,C-M,C	
					Storage space provides easy access for identification and

Added					
			200.025.015	A,B,C-M,C	
					Sterile supplies are stored away from potential contamination

Added					
			200.030.015	A,B,C-M,C	
					Additional methods in use can be chemical autoclave

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			200.030.025	A,B,C-M,C	
			Gas sterilizers must be vented.		

Added					
			200.035.028	A,B,C-M,C	
			High-level disinfection is used only for non-autoclavable		

Added					
			200.035.029	A,B,C-M,C	
			Edoscopes are processed in accordance with protocol		

Added					
			200.040.015	A,B,C-M,C	
			There is strict segregation of dirty surgical equipment and		

Added					
			200.040.020	A,B,C-M,C	
			The instrument preparation and assembly area (clean utility		

Added					
			200.040.025	A,B,C-M,C	
			Between cases, the operating room(s) is cleaned with medical		

Added					
			200.040.032	A,B,C-M,C	
			The ASC must provide a functional and sanitary		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			200.040.035	A,B,C-M,C	
			A sterile field is routinely used during all operations.		

Added					
			200.040.045	A,B,C-M,C	
			All instruments used in patient care are sterilized, where		

Added					
			200.040.055	A,B,C-M,C	
			A weekly spore test, or its equivalent, is performed on each		

Added					
			200.040.060	A,B,C-M,C	
			There is a protocol for remedial action to correct the		

Added					
			200.050.015	A,B,C-M,C	
			All blood and body fluid spills are cleaned using medical-		

Added					
			200.050.025	A,B,C-M,C	
			All openings to outdoor air are effectively protected against		

Added					
			200.060.015	A,B,C-M,C	
			The walls and counter tops are covered with smooth and easy-		

Added					
-------	--	--	--	--	--

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

			200.070.010	A,B,C-M,C	
					A bio-medical technician annually inspects all of the

Added					
			200.070.015	A,B,C-M,C	
					Only properly inspected equipment is used in the operating

Added					
			200.070.020	A,B,C-M,C	
					The manufacturer's specifications and requirements are kept

Added					
			200.070.035	A,B,C-M,C	
					There is an adequate operating room table or chair.

Added					
			200.070.055	A,B,C-M,C	
					Equipment and supplies for anesthesia include:

Added					
			200.070.060	A,B,C-M,C	
					Equipment and supplies for anesthesia include:

Added					
			200.070.065	A,B,C-M,C	
					Equipment and supplies for anesthesia include:

Added					
			200.070.070	C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

			Equipment and supplies for anesthesia include:
--	--	--	--

Added			
			200.070.075 A,B,C-M,C
			Equipment and supplies for anesthesia include:

Added			
			200.070.080 A,B,C-M,C
			Equipment and supplies for anesthesia include:

Added			
			200.070.085 A,B,C-M,C
			Equipment and supplies for anesthesia include:

Added			
			200.071.010 B,C-M,C
			An EKG monitor with pulse readout is present.

Added			
			200.071.015 B,C-M,C
			Pulse oximeter must be present in both the operating room

Added			
			200.071.020 A,B,C-M,C
			Blood pressure monitoring equipment is present.

Added			
			200.071.025 A,B,C-M,C
			A standard defibrillator or an automated external defibrillator

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			200.071.030	B,C-M,C	
			Sequential compressive devices (SCD) are employed for		

Added					
			200.071.035	A,B,C-M,C	
			Oral airways for each size of patient treated in the facility are		

Added					
			200.071.040	B,C-M,C	
			Nasopharyngeal airways and laryngeal mask airways for each		

Added					
			200.071.045	B,C-M,C	
			Laryngoscope with blades of various sizes for each size of		

Added					
			200.071.050	B,C-M,C	
			Endotracheal tubes of various sizes for each patient are		

Added					
			200.071.055	B,C-M,C	
			Endotracheal stylet is present.		

Added					
			200.071.060	A,B,C-M,C	
			A positive pressure ventilation device (eg, Ambu® bag) is		

AAAASF Medicare 6.8.5**AAAASF Medicare 7.0**

Added					
			200.071.065	A,B,C-M,C	
			A source of oxygen is present.		

Added					
			200.071.070	A,B,C-M,C	
			A source of suction is present.		

Added					
			200.071.075	C	
			If mechanical ventilator is present, it should have a		

Added					
			200.071.080	B,C-M,C	
			Electrocautery with a grounding plate or disposable pad is		

Added					
			200.071.085	C	
			An anesthesia machine with a purge system to extract		

Added					
			200.071.090	C	
			An inspired gas oxygen monitor on the anesthesia machine is		

Added					
			200.071.095	C	
			A carbon dioxide monitor is present and used on all moderate		

Added					
-------	--	--	--	--	--

AAAASF Medicare 6.8.5**AAAASF Medicare 7.0**

			200.080.040	A,B,C-M,C	
			Emergency equipment. The ASC medical staff and		

Added					
			200.080.045	A.B.C-M,C	
			Emergency equipment. The ASC medical staff and		

Added					
			200.080.050	A,B,C-M,C	
			Emergency equipment. The ASC medical staff and		

Added					
			200.085.005	A,B,C-M,C	
			The ambulatory surgery center is in compliance with all state		

Added					
			200.095.010	A,B,C-M,C	
			The ASC must have a safe and sanitary environment,		

Added					
			200.095.010	A,B,C-M,C	
			The ASC must have a safe and sanitary environment,		

Added					
			200.095.015	A,B,C-M,C	
			The ASC must provide a functional and sanitary		

Added					
			200.095.015	A,B,C-M,C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

					The ASC must provide a functional and sanitary
--	--	--	--	--	--

Added					
			200.095.020	A,B,C-M,C	
					There is an adequate, separate waiting room.

Added					
			200.095.020	A,B,C-M,C	
					There is an adequate, separate waiting room.

Added					
			300.000.015	B,C-M,C	
					The operating room may be used for patient recovery if only

Added					
			300.000.020	B,C-M,C	
					Patients transferred to the PACU are accompanied by a

Added					
			300.000.025	B,C-M,C	
					Patients transferred to the PACU will be continually

Added					
			300.005.025	B,C-M,C	
					Evaluation in the PACU will include:

Added					
			300.005.030	B,C-M,C	
					Evaluation in the PACU will include:

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			300.006.010	B,C-M,C	
			Continued evaluation in the PACU will consist of:		

Added					
			300.006.015	B,C-M,C	
			Continued evaluation in the PACU will consist of:		

Added					
			300.006.025	B,C-M,C	
			Continued evaluation in the PACU will consist of:		

Added					
			300.006.030	B,C-M,C	
			Continued evaluation in the PACU will consist of:		

Added					
			300.010.025	B,C-M,C	
			A separate pulse oximeter is available for each patient in the		

Added					
			300.020.015	B,C-M,C	
			Patients are required to meet criteria for physiological		

Added					
			300.020.025	B,C-M,C	
			Unless they are having local anesthesia only, patients are		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			400.010.015	A,B,C-M,C	
			The facility safety manual contains all applicable		

Added					
			400.010.025	A,B,C-M,C	
			The facility safety manual provides employees with		

Added					
			400.010.035	A,B,C-M,C	
			There is a written chemical hazard communication program,		

Added					
			400.010.045	A,B,C-M,C	
			Hazardous chemicals are labeled as hazardous.		

Added					
			400.012.001	A,B,C-M,C	

Added					
			400.012.005	A,B,C-M,C	
			If x-ray equipment is used, safety measures are taken to		

Added					
			400.012.010	A,B,C-M,C	
			Warnings and signage exist to warn those whose health may		

Added					
-------	--	--	--	--	--

AAAASF Medicare 6.8.5**AAAASF Medicare 7.0**

			400.012.015	A,B,C-M,C	
			Staff maintains dosimetry badges and records, if		

Added					
			400.012.020	A,B,C-M,C	
			Radiologic services may only be provided when integral		

Added					
			400.012.022	A,B,C-M,C	
			If radiologic services are utilized, the governing body		

Added					
			400.012.025	A,B,C-M,C	
			If the facility provides laboratory services, the laboratory must		

Added					
			400.012.030	A,B,C-M,C	
			The ambulatory surgery facility's policies and procedures		

Added					
			400.020.030	A,B,C-M,C	
			There is a written protocol for cardiopulmonary resuscitation		

Added					
			400.020.035	A,B,C-M,C	
			There must be a written protocol for a situation in which the		

Added					
			400.020.040	B,C-M,C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

				There must be a written protocol for a situation in which the
--	--	--	--	---

Added				
			400.020.045	A,B,C-M,C
				There must be a written protocol for response to power failure

Added				
			400.020.050	A,B,C-M,C
				There must be a written protocol for transferring patients in

Added				
			400.020.055	A,B,C-M,C
				There must be a written plan for emergency evacuation of the

Added				
			400.020.060	A,B,C-M,C
				If requested, the facility's personnel can demonstrate the

Added				
			400.020.065	A,B,C-M,C
				Personnel trained in the use of emergency equipment and in

Added				
			400.020.070	A,B,C-M,C
				Anesthesia personnel should review and be familiar with the

Added				
			500.020.015	A,B,C-M,C
				There is a dated controlled substance inventory and a control

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			500.020.025	A,B,C-M,C	
			All narcotics and controlled substances are secured and		

Added					
			500.020.045	A,B,C-M,C	
			IV Antihistamines (e.g. Diphenhydramine).		

Added					
			500.020.050	A,B,C-M,C	
			Short-acting beta-blocker (e.g. esmolol or labetalol).		

Added					
			500.021.045	A,B,C-M,C	
			The following medication must be available in the facility at		

Added					
			500.021.050	A,B,C-M,C	
			The following medication must be available in the facility at		

Added					
			500.023.000		
			This section applies if potential MH triggering agents such as		

Added					
			500.023.005	A,B,C-M,C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			500.023.010	C-M,C	
			There must be adequate screening for MH risk that includes		

Added					
			500.023.015	C-M,C	
			The facility director and all operating surgeons and		

Added					
			500.023.020	C-M,C	
			The medical director should be able to demonstrate that all		

Added					
			500.023.025	C-M,C	
			The medical director will insure that all staff are trained and		

Added					
			500.023.030	C	
			A supply of sterile water for injection USP (without a		

Added					
			500.023.035	C	
			A minimum of 4 ampules, 50cc's each, of sodium bicarbonate		

Added					
			500.023.040	C	
			A minimum supply of dantrolene/ryanodex should be stocked		

Added					
-------	--	--	--	--	--

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

			500.023.045	C	
					An additional* supply of dantrolene/ryanodex and diluents

Added					
			500.023.050	C-M,C	
					The MHAUS malignant hyperthermia algorithms must be

Added					
			500.023.055	C-M,C	
					Flow sheets for any MH intervention as well as forms to

Added					
			500.023.060	C-M,C	
					Facilities should establish the best destination as a transfer

Added					
			600.010.001	A,B,C-M,C	
					The facility must maintain separate, complete, comprehensive

Added					
			600.010.015	A,B,C-M,C	
					Medical records must be retained for the number of years

Added					
			600.010.023	A,B,C-M,C	
					Records contain appropriate patient identification.

Added					
			600.010.025	A,B,C-M,C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

				Medical records must be kept secure and confidential	
Added					
			600.011.035	A,B,C-M,C	
				The pre-operative medical record includes responses	
Added					
			600.011.040	A,B,C-M,C	
				Treating physicians or consultants are contacted in cases	
Added					
			600.011.045	A,B,C-M,C	
				Appropriate laboratory procedures are performed where	
Added					
			600.011.050	A,B,C-M,C	
				The medical history includes pre-operative diagnostic studies	
Added					
			600.020.015	A,B,C-M,C	
				Expectations, alternatives, risks and complications are	
Added					
			600.030.015	A,B,C-M,C	
				All laboratory results must be reviewed and initialed by the	
Added					
			600.030.016	A,B,C-M,C	
				All abnormal laboratory results must be reviewed and	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			600.040.015	A,B,C-M,C	
			A surgical log must include a numerical listing of patients		

Added					
			600.040.025	A,B,C-M,C	
			A surgical log must include patient's name and/or		

Added					
			600.040.035	A,B,C-M,C	
			A surgical log must include the surgeon's name.		

Added					
			600.040.045	B,C-M,C	
			A surgical log must include name of person(s) administering		

Added					
			600.040.050	B,C-M,C	
			A surgical log must include name of person(s) assisting		

Added					
			600.040.060	B,C-M,C	
			A separate anesthesia record is maintained in which all		

Added					
			600.040.065	B,C-M,C	
			A separate anesthesia record is maintained in which all		

AAAASF Medicare 6.8.5**AAAASF Medicare 7.0**

Added					
			600.040.070	B,C-M,C	
			A separate anesthesia record is maintained in which post-		

Added					
			600.040.075	B,C-M,C	
			There is an operative report which includes operative		

Added					
			600.040.080	B,C-M,C	
			Post-operative progress notes are recorded.		

Added					
			600.040.085	B,C-M,C	
			A separate anesthesia record is maintained in which Vital		

Added					
			700.010.020	A,B,C-M,C	
			The facility has a written quality improvement program		

Added					
			700.010.025	A,B,C-M,C	
			The facility has a written quality improvement program		

Added					
			700.010.030	A,B,C-M,C	
			The facility has a written quality improvement program		

Added					
-------	--	--	--	--	--

AAAASF Medicare 6.8.5**AAAASF Medicare 7.0**

			700.010.035	A,B,C-M,C	
			The facility has a written quality improvement program		

Added					
			700.020.015	A,B,C-M,C	
			If peer review sources external to the facility are used to		

Added					
			700.030.015	A,B,C-M,C	
			Random case reviews must include, at a minimum, record of		

Added					
			700.030.020	A,B,C-M,C	
			Random case reviews must include, at a minimum, record of		

Added					
			700.030.030	A,B,C-M,C	
			Random case reviews must include, at a minimum, record of		

Added					
			700.030.035	B,C-M,C	
			Random case reviews must include, at a		

Added					
			700.030.040	A,B,C-M,C	
			Random case reviews must include, at a minimum, record of		

Added					
			700.030.045	A,B,C-M,C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

				Random case reviews must include, at a minimum, record of
--	--	--	--	---

Added				
			700.040.010	A,B,C-M,C
				Review record of any unplanned hospital admission.

Added				
			700.040.020	A,B,C-M,C
				Review record of any complications such as infection,

Added				
			700.040.030	A,B,C-M,C
				Review record of any allergic reactions.

Added				
			700.040.035	A,B,C-M,C
				Review record of any incorrect needle or sponge count.

Added				
			700.040.040	A,B,C-M,C
				Review record of any patient or family complaint.

Added				
			700.040.045	A,B,C-M,C
				Review record of any equipment malfunction leading to

Added				
			700.040.055	A,B,C-M,C
				Each unanticipated operative sequelae chart review include

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			700.040.060	A,B,C-M,C	
			Each unanticipated operative sequelae chart review includes		

Added					
			700.040.065	A,B,C-M,C	
			Each unanticipated operative sequelae chart review includes		

Added					
			700.040.070	A,B,C-M,C	
			Each unanticipated operative sequelae chart review includes		

Added					
			700.040.075	A,B,C-M,C	
			Each unanticipated operative sequelae chart review includes		

Added					
			800.010.015	A,B,C-M,C	
			Procedures must be performed in a safe manner by qualified		

Added					
			800.010.025	A,B,C-M,C	
			If the physician, podiatrist, or oral and maxillofacial surgeon		

Added					
			800.010.035	A,B,C-M,C	
			Each physician, podiatrist or oral and maxillofacial surgeon		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			800.010.045	A,B,C-M,C	
			Any action affecting the current professional license of the		

Added					
			800.020.050	B,C-M,C	
			If anesthesiologists, anesthesia assistants (as certified by the		

Added					
			800.020.055	B,C-M,C	
			All anesthesiologists and CRNA's must be licensed or		

Added					
			800.020.060	C-M,C	
			All anesthesiologists and CRNA's must be responsible for the		

Added					
			800.020.070	C-M,C	
			An anesthesiologist/CRNA cannot function in any other		

Added					
			800.025.010	A,B,C-M,C	
			There must be a registered nurse available for emergency		

Added					
			800.025.015	A,B,C-M,C	
			Patient care responsibilities must be delineated for all nursing		

Added					
-------	--	--	--	--	--

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

			800.025.020	A,B,C-M,C	
					The nursing services of the ASC must be directed and staffed

Added					
			800.025.025	A,B,C-M,C	
					If the ASC assigns patient care responsibilities to

Added					
			800.030.015	B,C-M,C	
					All operating suite personnel must meet acceptable standards

Added					
			800.030.030	A,B,C-M,C	
					No nurse provides coverage in the ASC and in an adjacent

Added					
			800.040.015	A,B,C-M,C	
					The manual contains personnel policies and records which

Added					
			800.041.005	A,B,C-M,C	
					Personnel records contain

Added					
			800.041.020	A,B,C-M,C	
					Personnel records contain

Added					
			800.041.025	A,B,C-M,C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

				Personnel records contain	
--	--	--	--	---------------------------	--

Added					
			800.041.030	A,B,C-M,C	
				Personnel records contain	

Added					
			800.041.035	A,B,C-M,C	
				Personnel records contain	

Added					
			800.042.015	A,B,C-M,C	
				Personnel records contain training documentation relative	

Added					
			800.042.020	A,B,C-M,C	
				Personnel records contain training documentation relative	

Added					
			800.042.025	A,B,C-M,C	
				Personnel records contain training documentation relative	

Added					
			800.042.030	A,B,C-M,C	
				Personnel records contain training documentation relative to	

Added					
			800.060.015	C	
				Personnel are properly trained in the control procedures and	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			900.005.006	A,B,C-M,C	
			An ASC may be exempted from the requirement for		

Added					
			900.005.006	A,B,C-M,C	
			An ASC may be exempted from the requirement for		

Added					
			900.005.007	A, B, C-M, C	
			The request for exemption and recognition of State laws and		

Added					
			900.005.007	A, B, C-M, C	
			The request for exemption and recognition of State laws and		

Added					
			900.005.015	A,B,C-M,C	
			All anesthetics other than topical or local anesthetic agents		

Added					
			900.005.015	A,B,C-M,C	
			All anesthetics other than topical or local anesthetic agents		

Added					
			900.005.020	A,B,C-M,C	
			The physician responsible for supervising the administration		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			900.005.020	A,B,C-M,C	
			The physician responsible for supervising the administration		

Added					
			900.010.015	A,B,C-M,C	
			A physician must verify that an anesthesia care plan has been		

Added					
			900.010.015	A,B,C-M,C	
			A physician must verify that an anesthesia care plan has been		

Added					
			900.010.035	A,B,C-M,C	
			The anesthetic care plan is based on		

Added					
			900.010.035	A,B,C-M,C	
			The anesthetic care plan is based on		

Added					
			900.010.045	A,B,C-M,C	
			The anesthetic care plan is based on		

Added					
			900.010.045	A,B,C-M,C	
			The anesthetic care plan is based on		

Added					
-------	--	--	--	--	--

AAAASF Medicare 6.8.5**AAAASF Medicare 7.0**

			900.010.055	A,B,C-M,C	
			The anesthetic care plan is based on		

Added					
			900.010.055	A,B,C-M,C	
			The anesthetic care plan is based on		

Added					
			900.010.065	A,B,C-M,C	
			The anesthetic care plan is based on		

Added					
			900.010.065	A,B,C-M,C	
			The anesthetic care plan is based on		

Added					
			900.020.000		
			Continual is defined as "repeated regularly and		

Added					
			900.020.000		
			Continual is defined as "repeated regularly and		

Added					
			900.020.005	A,B,C-M,C	
			If responsible for supervising anesthesia or providing		

Added					
			900.020.005	A,B,C-M,C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

					If responsible for supervising anesthesia or providing
--	--	--	--	--	--

Added					
			900.022.010	B,C-M,C	
					Circulation may be monitored by one or several of the

Added					
			900.022.010	B,C-M,C	
					Circulation may be monitored by one or several of the

Added					
			900.022.050	C-M,C	
					Temperature should be monitored when clinically significant

Added					
			900.022.050	C-M,C	
					Temperature should be monitored when clinically significant

Added					
			900.022.055	C-M,C	
					"Forced air warmers," blanket warmers, or other devices

Added					
			900.022.055	C-M,C	
					"Forced air warmers," blanket warmers, or other devices

Added					
			900.023.005	B,C-M,C	
					Every patient receiving general anesthesia shall have the

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			900.023.005	B,C-M,C	
			Every patient receiving general anesthesia shall have the		

Added					
			900.023.010	C	
			When an endotracheal tube or laryngeal mask is inserted, its		

Added					
			900.023.010	C	
			When an endotracheal tube or laryngeal mask is inserted, its		

Added					
			900.023.015	C	
			When ventilation is controlled by a mechanical ventilator,		

Added					
			900.023.015	C	
			When ventilation is controlled by a mechanical ventilator,		

Added					
			1000.010.050	A,B,C-M,C	
			The minutes of each official "Governance" meeting are		

Added					
			1000.021.010	A,B,C-M,C	
			The governing body is responsible for the operation and		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Added					
			1000.021.010	A,B,C-M,C	
			The governing body is responsible for the operation and		

Added					
			1000.021.011	A,B,C-M,C	
			The governing body is responsible for the operation and		

Added					
			1000.021.011	A,B,C-M,C	
			The governing body is responsible for the operation and		

Added					
			1000.021.012	A,B,C-M,C	
			The governing body is responsible for the operation and		

Added					
			1000.021.012	A,B,C-M,C	
			The governing body is responsible for the operation and		

Added					
			1000.021.015	A,B,C-M,C	
			The governing body is responsible for the operation and		

Added					
			1000.021.015	A,B,C-M,C	
			The governing body is responsible for the operation and		

Added					
-------	--	--	--	--	--

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

			1000.021.019	A,B,C-M,C	
			The governing body is responsible for the operation and		

Added					
			1000.021.019	A,B,C-M,C	
			The governing body is responsible for the operation and		

Added					
			1000.021.020	A,B,C-M,C	
			The medical staff of the ASC must be accountable to the		

Added					
			1000.021.020	A,B,C-M,C	
			The medical staff of the ASC must be accountable to the		

Added					
			1000.030.010	A,B,C-M,C	
			The appointment of administrative personnel is documented.		

Added					
			1000.030.010	A,B,C-M,C	
			The appointment of administrative personnel is documented.		

Added					
			1000.050.020	A,B,C-M,C	
			The governing body has defined the scope and intended use		

Updated					
100.010.020	A,B,C-M,C		100.010.020	A,B,C-M,C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Changes in facility ownership must be reported to the	Changes in facility ownership must be reported to the
---	---

Updated					
100.010.025	A,B,C-M,C		100.010.025	A,B,C-M,C	
Any death occurring in an accredited facility, or any death			Any death occurring in an accredited facility or any death		

Deleted					
100.010.027	A,B,C-M,C				
AAAASF Patient's Rights should be posted, followed and					

Updated					
100.010.030	A,B,C-M,C		100.010.030	A,B,C-M,C	
All individuals using the facility must meet one of the			All individuals using the facility must meet one of the		

Updated					
100.010.040	A,B,C-M,C		100.010.040	A,B,C-M,C	
Onsite AAAASF Inspections typically involve the attention of			Onsite AAAASF surveys typically involve the attention of the		

Updated					
100.010.045	A		100.010.045	A	
Class A:			Class A:		

Updated					
100.010.050	B		100.010.050	B	
Class B:			Class B:		

Updated					
100.010.055	C-M		100.010.055	C-M	
Class C-M:			Class C-M:		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Updated					
100.010.060	C		100.010.060	C	
Class C:			Class C:		

Updated					
100.010.065	A,B,C-M,C		100.010.065	A,B,C-M,C	
ABMS certified or eligible medical specialists who perform			ABMS certified or eligible medical specialists who perform		

Updated					
100.010.070	A,B,C-M,C		100.010.070	A,B,C-M,C	
Practitioners of Pain Management would be required to meet			Practitioners of pain management are required to meet		

Updated					
100.010.075	A,B,C-M,C		100.010.075	A,B,C-M,C	
Practitioners of Interventional Radiology would be required to			Practitioners of interventional radiology must meet all of the		

Deleted					
200.010.005	B,C-M,C				
A policy for a "surgical pause" or a "time out" protocol is in					

Deleted					
200.010.007	A,B,C-M,C				
The facility displays a professional appearance that is in					

Updated					
200.010.010	B,C-M,C		200.010.010	B,C-M,C	
The ASC recovery room, waiting area and operating suite are			A "surgical pause" or a "time out" protocol is in place,		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
200.010.015	B,C-M,C				
The operating suite includes operating room(s), prep/scrub					

Deleted					
200.010.020	B,C-M,C				
There is a room which functions only as an operating room					

Deleted					
200.010.025	A				
An exam room may function as an operating room.					

Deleted					
200.010.035	A,B,C-M,C				
(1) Each operating room must be designed and equipped so					

Deleted					
200.010.050	A,B,C-M,C				
The operating room(s) is adequately ventilated and					

Deleted					
200.010.061	A,B,C-M,C				
The O.R. storage space is: Adequate to hold necessary					

Deleted					
200.010.062	A,B,C-M,C				
The O.R. Storage space: Provides easy access for					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

200.010.063	A,B,C-M,C				
The O.R. storage space is: Properly cleaned, maintained and					

Deleted					
200.010.070	A,B,C-M,C				
Each operating room is of a size adequate to allow for the					

Deleted					
200.010.072	A,B,C-M,C				
Each operating room: Has appropriate lighting.					

Deleted					
200.010.080	A,B,C-M,C				
Unauthorized lay individuals are deterred from entering the					

Updated					
200.020.000					

Updated					
200.020.010	A,B,C-M,C		200.020.010	B,C-M,C	
The facility has at least one autoclave which utilizes high			The operating suite is physically separate from the general		

Deleted					
200.020.011	A,B,C-M,C				
Additional methods can be chemical autoclave (chemclave) or					

Deleted					
200.020.012	A,B,C-M,C				

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Gas sterilizers must be vented if appropriate for the specific	
--	--

Updated				
200.020.020	A,B,C-M,C		200.020.020	B,C-M,C
All instruments used in patient care are properly sterilized		There is a room dedicated for use as an operating room.		

Updated				
200.020.030	A,B,C-M,C		200.020.030	B,C-M,C
High-level disinfection is used only for non-autoclavable		All major surgery is done in the separate and distinct		

Deleted				
200.020.040	A,B,C-M,C			
A weekly spore test is performed and the results filed for each				

Updated				
200.020.050	A,B,C-M,C		200.020.050	A,B,C-M,C
If spore test is positive, there is a protocol for appropriate		The operating room is properly cleaned, maintained and free		

Deleted				
200.020.070	A,B,C-M,C			
If a sterilizer produces monitoring records, they are reviewed				

Updated				
200.020.080	A,B,C-M,C		200.020.080	A,B,C-M,C
Sterile supplies are: Stored in closed cabinets/drawers or if		Each sterilized pack is marked with the date of sterilization		

Deleted				
200.020.081	A,B,C-M,C			
Sterile supplies are: Stored away from potential				

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Updated					
200.020.090	A,B,C-M,C		200.020.090	B,C-M,C	
Sterile supplies are: Appropriately labeled indicating sterility.		If a pre-existing sink is present in the operating room, a			

Deleted					
200.020.091	A,B,C-M,C				
Sterile supplies are: Appropriately packaged to prevent					

Deleted					
200.020.092	A,B,C-M,C				
Sterile supplies are: Sealed with autoclave tape.					

Deleted					
200.020.093	A,B,C-M,C				
Each sterilized pack is marked with the date of sterilization					

Updated					
200.030.000					

Updated					
200.030.010	A,B,C-M,C		200.030.010	A,B,C-M,C	
Instrument handling and sterilizing areas are cleaned and		The facility has at least one autoclave that uses high-pressure			

Deleted					
200.030.020	A,B,C-M,C				
There is strict segregation of dirty surgical equipment and					

AAAASF Medicare 6.8.5

Deleted					
200.030.030	A,B,C-M,C				
The instrument preparation and assembly area is separated by					

Deleted					
200.030.040	A,B,C-M,C				
Between cases, the operating room(s) is cleaned utilizing					

Deleted					
200.030.100	B,C-M,C				
If a pre-existing sink is present in the operating room, it must					

Updated					
200.040.000					

Updated					
200.040.010	A,B,C-M,C		200.040.010	A,B,C-M,C	
The operating room(s) is properly maintained.			Instrument handling and sterilizing areas are cleaned		

Updated					
200.040.030	A,B,C-M,C		200.040.030	A,B,C-M,C	
All blood and body fluids are cleaned using appropriate			Scrub suits, caps or hair covers, gloves, operative gowns,		

Updated					
200.040.040	A,B,C-M,C		200.040.040	A,B,C-M,C	
The ASC must provide a functional and sanitary environment			Surgical scrub soap and/or alcohol cleansers are provided for		

Updated					
---------	--	--	--	--	--

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

200.040.050	A,B,C-M,C		200.040.050	A,B,C-M,C	
All openings to outdoor air are effectively protected against			Sterilizer logs/monitoring records are reviewed and stored for		

Updated					
200.050.000					

Updated					
200.050.005	A,B,C-M,C		200.050.005	A,B,C-M,C	
The scrub facility's entire ceiling surface or drop-in tiles are			The ASC must provide a functional and sanitary		

Updated					
200.050.010	B,C-M,C		200.050.010	A,B,C-M,C	
The O.R. ceiling surface or drop-in tiles are smooth,			The entire operating room suite is cleaned and disinfected		

Updated					
200.050.020	A,B,C-M,C		200.050.020	A,B,C-M,C	
The walls and counter tops are covered with smooth, and easy			A written protocol has been developed for use by		

Deleted					
200.050.030	B,C-M,C				
The ASC must provide a functional and sanitary environment					

Deleted					
200.050.040	B,C-M,C				
The floor material wraps up the walls a minimum of 4 inches.					

Deleted					
200.050.041	B,C-M,C				

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

If cove base is used it must be sealed with an impermeable					
--	--	--	--	--	--

Deleted					
200.055.010	A,B,C-M,C				
(3) The ASC must establish a program for identifying and					

Deleted					
200.055.011	A,B,C-M,C				
The ambulatory surgery facility staff must have knowledge of					

Deleted					
200.055.015	A,B,C-M,C				
The ambulatory surgery facility must maintain an ongoing					

Deleted					
200.055.016	A,B,C-M,C				
The ambulatory surgery facility must have a protocol for					

Updated					
200.055.020	A,B,C-M,C		200.055.020	A,B,C-M,C	
The Infection Control program is-			The Infection Control program is-		

Updated					
200.055.021	A,B,C-M,C		200.055.021	A,B,C-M,C	
The Infection Control program is-			The Infection Control program is-		

Updated					
200.055.023	A,B,C-M,C		200.055.023	A,B,C-M,C	
The Infection Control program is--			The Infection Control program is--		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
200.055.025	A,B,C-M,C				
Aseptic techniques are maintained during procedures and					

Deleted					
200.055.035	A,B,C-M,C				
The ASC must provide a functional and sanitary environment					

Deleted					
200.055.040	A,B,C-M,C				
A sterile field is routinely used during all surgery.					

Updated					
200.055.045	A,B,C-M,C		200.055.045	A,B,C-M,C	
(b) <i>Standard: Infection control program.</i> The ASC must			The ASC must maintain an ongoing program designed to		

Deleted					
200.055.055	A,B,C-M,C				
The ASC must provide a functional and sanitary environment					

Deleted					
200.055.060	A,B,C-M,C				
Surgical scrub soap and/or alcohol cleansers are provided for					

Deleted					
200.055.065	A,B,C-M,C				
The ASC must provide a functional and sanitary environment					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Updated					
200.060.000					

Updated					
200.060.010	A,B,C-M,C		200.060.010	B,C-M,C	
A bio-medical technician or equivalent annually inspects all			The operating room ceiling surface or drop-in tiles are		

Updated					
200.060.020	A,B,C-M,C		200.060.020	B,C-M,C	
Only properly inspected equipment is used in the operating			The floors are covered with smooth and easy-to-clean		

Deleted					
200.060.030	A,B,C-M,C				
The manufacturer's specifications and requirements are kept					

Deleted					
200.060.050	A,B,C-M,C				
All equipment repairs and changes are done by a bio-medical					

Deleted					
200.060.060	A,B,C-M,C				
There is an adequate operating room table or chair.					

Deleted					
200.060.070	A,B,C-M,C				
The operating room is provided with: adequate general					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

200.060.080	A,B,C-M,C				
The operating room is equipped with: adequate surgical lights					

Deleted					
200.061.000					

Deleted					
200.061.010	B,C-M,C				
The operating room is equipped with: EKG monitor with					

Deleted					
200.061.011	B,C-M,C				
The operating room is equipped with: Pulse oximeter (pulse					

Deleted					
200.061.012	A,B,C-M,C				
The operating room is equipped with: Blood pressure					

Deleted					
200.061.013	A,B,C-M,C				
The operating room is equipped with: Standard defibrillator					

Deleted					
200.061.014	B,C-M,C				
The operating room is equipped with: Pneumatic boots or					

Deleted					
200.061.015	A,B,C-M,C				

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

The operating room is equipped with: Oral airways for each					
--	--	--	--	--	--

Deleted					
200.061.016	B,C-M,C				

The operating room is equipped with: Nasopharyngeal					
---	--	--	--	--	--

Deleted					
200.061.017	B,C-M,C				

The operating room is equipped with: Laryngoscope.					
--	--	--	--	--	--

Deleted					
200.061.018	B,C-M,C				

The operating room is equipped with: Endotracheal tubes.					
--	--	--	--	--	--

Deleted					
200.061.019	B,C-M,C				

The operating room is equipped with: Endotracheal stylet.					
---	--	--	--	--	--

Deleted					
200.061.020	A,B,C-M,C				

Self inflating (Ambu™) bags are capable of delivering					
--	--	--	--	--	--

Deleted					
200.061.021	A,B,C-M,C				

The operating room is equipped with: Source of O2					
---	--	--	--	--	--

Deleted					
200.061.022	A,B,C-M,C				

The operating room is equipped with: Source of suction and					
--	--	--	--	--	--

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
200.061.023	B,C-M,C				
The operating room is equipped with: Source of cautery.					

Deleted					
200.061.024	B,C-M,C				
The operating room is equipped with: Electrocautery with					

Deleted					
200.061.025	C				
The operating room is equipped with: Anesthesia machine					

Deleted					
200.061.026	C				
The operating room is equipped with: An inspired gas oxygen					

Deleted					
200.061.028	C				
A CO2 monitor is used on all general anesthesia cases.					

Deleted					
200.061.030	C				
Mechanical ventilator should have a continuous use device					

Deleted					
200.061.035	B,C-M,C				
Each inhalation gas supply system includes two cylinders (or					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
200.061.040	B,C-M,C				
The operating room is equipped with: Mechanical ventilatory					

Deleted					
200.061.045	B,C-M,C				
The ASC must have a Tracheostomy Set or a					

Deleted					
200.061.050	B,C-M,C				
Endotracheal tubes are present.					

Deleted					
200.061.055	B,C-M,C				
Endotracheal stylet is present.					

Updated					
200.070.000					

Updated					
200.070.040	A,B,C-M,C		200.070.040	A,B,C-M,C	
C. <i>Standard: Emergency equipment.</i> The ASC medical			The operating room is provided with adequate general		

Updated					
200.070.045	A,B,C-M,C		200.070.045	A,B,C-M,C	
The operating room has Emergency medical equipment and			Appropriately sized pediatric medical equipment is available		

Updated					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

200.070.050	A,B,C-M,C		200.070.050	B,C-M,C	
Gurneys and beds for patient use are equipped with			Equipment and supplies for anesthesia include:		

Updated					
200.080.000					

Deleted					
200.080.011	A,B,C-M,C				
All medical hazardous wastes are: Disposed of in sealed,					

Deleted					
200.080.020	A,B,C-M,C				
Used disposable sharp items are placed in secure puncture-					

Deleted					
200.080.030	A,B,C-M,C				
There is a written policy for cleaning of spills, especially					

Deleted					
200.085.001	A,B,C-M,C				
The ASC uses its space for ambulatory surgery exclusively.					

Deleted					
200.085.002	A,B,C-M,C				
The record keeping is exclusive to the ASC.					

Deleted					
200.085.003	A,B,C-M,C				

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

The staff is responsible to the ASC.	
--------------------------------------	--

Deleted				
200.085.006	A,B,C-M,C			
The ASC and another entity do not mix functions and				

Deleted				
200.085.007	A,B,C-M,C			
No surgical procedure on a Medicare patient is performed				

Updated				
200.085.016	A,B,C-M,C		200.085.016	A,B,C-M,C
416.2 Definitions.		416.2 Definitions.		

Deleted				
200.085.017	A,B,C-M,C			
Any death occurring in an accredited ASC, or any death				

Updated				
200.090.010	A,B,C-M,C		200.090.010	A,B,C-M,C
The ASC must have a safe and sanitary environment,		All medical hazardous wastes are stored in - Occupational		

Updated				
200.090.015	A,B,C-M,C		200.090.015	A,B,C-M,C
The ASC must provide a functional and sanitary		Used disposable sharp items are placed in secure puncture-		

Updated				
200.090.020	A,B,C-M,C		200.090.020	A,B,C-M,C
There is an adequate, separate waiting room.		There is a written policy for cleaning of spills which may		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
200.090.021	A,B,C-M,C				
The waiting room is: Adequately sized.					

Deleted					
200.090.022	A,B,C-M,C				
The waiting room is: Appropriately lighted.					

Deleted					
200.090.023	A,B,C-M,C				
The waiting room is: Clean, maintained and free of clutter					

Deleted					
200.090.030	A,B,C-M,C				
There is adequate area for administrative activities.					

Deleted					
200.090.031	A,B,C-M,C				
The administrative work area: Provides adequate work space.					

Deleted					
200.090.032	A,B,C-M,C				
The administrative work area: Provides sufficient space and					

Deleted					
200.090.033	A,B,C-M,C				
The administrative work area is: Appropriately lighted.					

AAAASF Medicare 6.8.5

Deleted					
200.090.034	A,B,C-M,C				
The administrative work area is: Properly ventilated and					

Deleted					
200.090.035	A,B,C-M,C				
The administrative work area is: Properly cleaned and					

Deleted					
200.090.041	A,B,C-M,C				
The storage space is: Adequately sized for supplies.					

Deleted					
200.090.042	A,B,C-M,C				
The storage space is: Organized for easy access and inventory					

Deleted					
200.090.043	A,B,C-M,C				
Medical supplies and equipment are stored in a safe manner					

Deleted					
200.090.050	A,B,C-M,C				
There is at least one examination room.					

Deleted					
200.090.060	A,B,C-M,C				
There are adequate lavatory facilities for patients and					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

200.090.061	A,B,C-M,C				
The lavatory facilities: Comply with ADA guidelines.					

Deleted					
200.090.062	A,B,C-M,C				
The lavatory facilities are: Sufficient to accommodate patients					

Deleted					
200.090.063	A,B,C-M,C				
The lavatory facilities are: Regularly cleaned and maintained.					

Deleted					
200.090.070	A,B,C-M,C				
The facility is adequately ventilated and temperature					

Deleted					
200.090.080	A,B,C-M,C				
There is appropriate lighting in the facility.					

Deleted					
200.090.090	A,B,C-M,C				
The entire facility (including corridors) must be adequately					

Deleted					
200.090.100	A,B,C-M,C				
Smoking is prohibited in all patient care and hazardous areas.					

Deleted					
200.090.110	A,B,C-M,C				

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

The staff presents a professional appearance of competence					
--	--	--	--	--	--

Deleted					
200.095.001	A,B,C-M,C				
The ambulatory surgery center is in compliance with all state					

Deleted					
200.095.002	A,B,C-M,C				
The facility has an appropriate physician's consultation					

Updated					
300.000.000					

Updated					
300.005.005	A,B,C-M,C		300.005.005	A,B,C-M,C	
416.52 Patient Admission, Assessment and Discharge.			The ASC must ensure each patient has the appropriate pre-		

Deleted					
300.005.007	A,B,C-M,C				
Medical clearance should be recorded, if applicable. A					

Deleted					
300.005.008	A,B,C-M,C				
The history and physical examination should cover the organs					

Updated					
300.005.010	A,B,C-M,C		300.005.010	B,C-M,C	
(a) Admission and pre-surgical assessment. (1) Not more			Evaluation in the PACU will include:		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Updated					
300.005.015	A,B,C-M,C		300.005.015	B,C-M,C	
(2) Upon admission, each patient must have a pre-surgical			Evaluation in the PACU will include:		

Updated					
300.005.020	A,B,C-M,C		300.005.020	B,C-M,C	
(3) The patient's medical history and physical assessment			Evaluation in the PACU will include:		

Updated					
300.010.010	B,C-M,C		300.010.010	B,C-M,C	
There is a separate recovery room within the operating suite.			There is a separate and adequately sized PACU within the		

Deleted					
300.010.011	B,C-M,C				
The recovery area is: Adequately sized.					

Deleted					
300.010.012	B,C-M,C				
The recovery area is: Appropriately equipped and readily					

Updated					
300.010.015	B,C-M,C		300.010.015	B,C-M,C	
The operating room may be used for patient recovery if only			The room is equipped and readily accessible to handle		

Deleted					
300.010.016	B,C-M,C				
The ambulatory surgery center must have a distinct recovery					

AAAASF Medicare 6.8.5

Deleted					
300.010.018	B,C-M,C				
Patients transferred to the PACU will be continually					

Deleted					
300.010.019	B,C-M,C				
Patients transferred to the PACU are accompanied by a					

Deleted					
300.010.020	B,C-M,C				
All recovering patients must remain under direct observation					

Updated					
300.010.030	B,C-M,C		300.010.030	B,C-M,C	
A physician, CRNA or R.N. with Advanced Cardiac Life			There is a PACU record that includes vital signs, level of		

Deleted					
300.010.050	B,C-M,C				
A separate pulse oximeter is available for each patient in the					

Deleted					
300.010.060	B,C-M,C				
There is a recovery room record maintained which includes					

Deleted					
300.015.010	B,C-M,C				
Evaluation in the PACU will include:					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

300.015.015	B,C-M,C				
Evaluation in the PACU will include:					

Deleted					
300.015.020	B,C-M,C				
Transmission of a verbal report on the patient to the PACU					

Deleted					
300.015.025	B,C-M,C				
Transfer of information concerning the preoperative					

Deleted					
300.015.030	B,C-M,C				
A member of the anesthesia team remains in the post-					

Deleted					
300.015.035	B,C-M,C				
Observation and monitoring by methods appropriate to the					

Deleted					
300.015.040	B,C-M,C				
Continuous pulse oximetry.					

Deleted					
300.015.045	B,C-M,C				
A written, accurate post-anesthetic care report is maintained.					

Deleted					
300.015.050	B,C-M,C				

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

There is a written policy that whenever parenteral sedation,	
--	--

Updated					
300.020.000					

Updated					
300.020.005	A,B,C-M,C		300.020.005	A,B,C-M,C	
(b) <i>Post-surgical assessment.</i> (1) The patient's post-surgical			The patient's post-surgical condition must be assessed and		

Deleted					
300.020.010	B,C-M,C				
Patients must be discharged in the company of a responsible					

Updated					
300.020.020	B,C-M,C		300.020.020	B,C-M,C	
Patients are required to meet established written and recorded			Personnel assist with discharge from the recovery area.		

Deleted					
300.020.030	B,C-M,C				
Personnel assist with discharge from the recovery area.					

Updated					
300.020.035	A,B,C-M,C		300.020.035	A,B,C-M,C	
A physician must verify that the patient or responsible adult			Before discharge, a Physician or an anesthetist as defined at		

Deleted					
300.020.040	B,C-M,C				
The patient is transported in a suitable vehicle with a					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
300.020.041	A,B,C-M,C				
Patients receiving only local anesthesia without sedation may					

Deleted					
300.020.042	B,C-M,C				
Patients may be transported by ambulance (or wheelchair,					

Deleted					
300.020.050	B,C-M,C				
A physician determines that the patient meets discharge					

Deleted					
300.020.055	B,C-M,C				
Written post-operative instructions, including procedures for					

Deleted					
300.020.060	B,C-M,C				
Patients are required to meet criteria for physiological					

Deleted					
300.020.070	B,C-M,C				
Unless they are having local anesthesia only, patients are					

Updated					
300.020.075	A,B,C-M,C		300.020.075	A,B,C-M,C	
(2) Post-surgical needs must be addressed and included in the		Post-surgical needs must be addressed and included in the			

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Updated					
300.020.080	A,B,C-M,C		300.020.080	A,B,C-M,C	
(c) <i>Standard:</i> Discharge. The ASC must-			Provide each patient with written discharge instructions and		

Updated					
300.020.085	A,B,C-M,C		300.020.085	A,B,C-M,C	
(2) Ensure each patient has a discharge order, signed by the			Ensure each patient has a discharge order, signed by the		

Updated					
300.020.090	A,B,C-M,C		300.020.090	A,B,C-M,C	
(3) Ensure all patients are discharged in the company of a			Ensure all patients are discharged in the company of a		

Updated					
300.030.010	B,C-M,C		300.030.010	B,C-M,C	
If overnight stays are permitted, the facility is in compliance			If overnight stays are permitted, the facility is in compliance		

Deleted					
300.040.005	B,C-M,C				
A reliable source of oxygen, adequate for the length of the					

Deleted					
300.040.010	A,B,C-M,C				
If a central source of piped oxygen is used, the system must					

Deleted					
300.040.015	A,B,C-M,C				
Sufficient space to accommodate the necessary personnel,					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

300.040.020	A,B,C-M,C				
There is an adequate and reliable source of suction.					

Deleted					
300.040.025	C				
An adequate and reliable anesthetic scavenging system exists					

Deleted					
300.040.030	A,B,C-M,C				
Self inflating (Ambu©) bags, if used, are capable of					

Deleted					
300.040.035	C				
An anesthesia machine is required if volatile agents or nitrous					

Deleted					
300.040.045	A,B,C-M,C				
Adequate illumination for patients, machines and monitoring					

Deleted					
300.040.050	A,B,C-M,C				
Emergency cart is available with defibrillator, necessary					

Deleted					
300.045.005	B,C-M,C				
A licensed or qualified anesthesia provider supervising or					

Deleted					
300.045.010	B,C-M,C				

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

The surgeon and the licensed or qualified anesthesia provider	
---	--

Deleted					
300.045.015	A,B,C-M,C				
A patient who, by reason of pre-existing or other medical					

Deleted					
300.050.005	B,C-M,C				
There is a separate and adequately sized recovery room					

Deleted					
300.050.010	B,C-M,C				
The room is equipped and readily accessible to handle					

Deleted					
300.050.015	B,C-M,C				
All recovering patients must be observed and supervised by					

Deleted					
300.050.020	B,C-M,C				
A separate pulse oximeter is available for each patient in the					

Deleted					
300.050.025	B,C-M,C				
There is a recovery room record that includes vital signs,					

Updated					
400.000.000			400.000.000	A,B,C-M,C	
AAAASF is committed to establishing minimum					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
400.000.004	A,B,C-M,C				
No nurse provides coverage in the ASC and in an adjacent					

Deleted					
400.010.011	A,B,C-M,C				
The Facility Safety Manual: Contains all applicable					

Deleted					
400.010.012	A,B,C-M,C				
The Facility Safety Manual: Is in accordance with other					

Deleted					
400.010.013	A,B,C-M,C				
The Facility Safety Manual: Provides employees with					

Updated					
400.010.020	A,B,C-M,C		400.010.020	A,B,C-M,C	
There is a written "Exposure Control Plan" on file that is			The facility safety manual is in accordance with other federal		

Updated					
400.010.030	A,B,C-M,C		400.010.030	A,B,C-M,C	
There is a written "Chemical Hazard Communication			There is a written exposure control plan, which is reviewed		

Updated					
400.010.040	A,B,C-M,C		400.010.040	A,B,C-M,C	
If a laser is used, appropriate safety measures are taken to			If a laser is used, safety measures are taken to protect patients		

AAAASF Medicare 6.8.5

Deleted					
400.010.050	A,B,C-M,C				
If X-Ray equipment is used, appropriate safety measures are					

Deleted					
400.010.051	A,B,C-M,C				
Appropriate warnings and signage exists to warn those whose					

Deleted					
400.010.052	A,B,C-M,C				
Staff maintains appropriate dosimetry badges and records are					

Deleted					
400.020.005	A,B,C-M,C				
There must be a written protocol for security emergencies,					

Updated					
400.020.010	A,B,C-M,C		400.020.010	A,B,C-M,C	
There must be a written protocol for transferring patients in			There must be a written protocol for security emergencies,		

Deleted					
400.020.011	A,B,C-M,C				
There is a written protocol for: Fire and fire drills.					

Deleted					
400.020.012	A,B,C-M,C				
There is a written protocol for: Calling appropriate personnel					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

400.020.013	A,B,C-M,C				
There is a written protocol for: Immediate or timely return to					

Deleted					
400.020.014	C				
There is a written protocol for: Malignant hyperthermia.					

Updated					
400.020.015	A,B,C-M,C		400.020.015	A,B,C-M,C	
There is a written protocol for: Cardiopulmonary			There must be a written protocol for fires and fire drills.		

Deleted					
400.020.016	A,B,C-M,C				
There is a written protocol for: A situation in which the					

Deleted					
400.020.017	B,C-M,C				
There is a written protocol for: A situation in which the					

Deleted					
400.020.018	A,B,C-M,C				
There is a written protocol for: Response to power failure					

Deleted					
400.020.019	A,B,C-M,C				
Hazardous chemicals are labeled as such.					

Updated					
400.020.020	A,B,C-M,C		400.020.020	A,B,C-M,C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

There is a written protocol for: Emergency evacuation of the	There must be a written protocol for returning patients to
--	--

Deleted					
400.020.021	A,B,C-M,C				
There is a written protocol for: A disaster preparedness plan					

Deleted					
400.020.022	A,B,C-M,C				
(2) The ASC coordinates the plan with State and local					

Deleted					
400.020.023	A,B,C-M,C				
No surgical procedure on a Medicare patient is performed					

Deleted					
400.020.024	A,B,C-M,C				
The ASC conducts drills, at least annually, to test the plan's					

Updated					
400.020.025	A,B,C-M,C		400.020.025	C	
The ASC must complete a written evaluation of each drill and			There is a written protocol for malignant hyperthermia.		

Updated					
400.021.010	A,B,C-M,C		400.021.010	A,B,C-M,C	
The procedure for immediately transferring patients requiring			The hospital must be a local, Medicare-participating hospital		

Deleted					
400.021.015	A,B,C-M,C				
The ASC has a transfer agreement with a local hospital that					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
400.021.020	A,B,C-M,C				
The ASC must have a written transfer agreement with a					

Updated					
400.021.025	A,B,C-M,C		400.021.025	A,B,C-M,C	
(3) The ASC must-			The ASC must-		

Deleted					
400.021.030	A,B,C-M,C				
Radiologic services may only be provided when integral					

Updated					
400.021.035	A,B,C-M,C		400.021.035	A,B,C-M,C	
(b) <i>Standard: Hospitalization.</i> (1) The ASC must have an			The ASC must have an effective procedure for the immediate		

Deleted					
400.050.000					

Deleted					
400.050.030	A,B,C-M,C				
Passage or hallways are adequate to allow emergency					

Deleted					
400.050.040	A,B,C-M,C				
If a stairway is present, it is sufficiently wide enough to allow					

AAAASF Medicare 6.8.5

Deleted					
400.050.050	A,B,C-M,C				
If an elevator is present, it is large enough to allow					

AAAASF Medicare 7.0

Deleted					
400.050.060	A,B,C-M,C				
If requested, the facility's personnel can demonstrate the					

Deleted					
400.060.005	A,B,C-M,C				
The Facility Safety Manual must contain a written policy for					

Deleted					
400.060.010	A,B,C-M,C				
The Facility Safety Manual must contain a written policy for					

Deleted					
400.060.015	A,B,C-M,C				
The Facility Safety Manual must contain a written list of all					

Deleted					
400.060.020	A,B,C-M,C				
The Facility Safety Manual must contain a written policy for					

Deleted					
400.060.025	A,B,C-M,C				
The ambulatory surgery facility must have written isolation					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

400.060.030	A,B,C-M,C				
The ambulatory surgery facility staff must have knowledge of					

Deleted					
400.060.050	A,B,C-M,C				
All supervisory personnel have access to the written plan for					

Deleted					
400.060.055	A,B,C-M,C				
All personnel are periodically trained and kept informed of					

Deleted					
400.060.060	A,B,C-M,C				
A simple floor plan showing evacuation routes is posted in					

Updated					
500.010.010	A,B,C-M,C		500.010.010	A,B,C-M,C	
Intravenous fluids such as Lactated Ringer's and Normal			Intravenous fluids such as Lactated Ringer's solution and/or		

Updated					
500.010.015	A,B,C-M,C		500.010.015	A,B,C-M,C	
(2) Blood and blood products must be administered only by			If blood were to be used, there is a protocol for it to be typed,		

Updated					
500.010.020	A,B,C-M,C		500.010.020	A,B,C-M,C	
If blood were to be used, there is a protocol for it to be typed,					

Updated					
500.020.010	A,B,C-M,C		500.020.010	A,B,C-M,C	

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Emergency medications are readily available and O.R.	Emergency Drug Box - all emergency medications as noted in
--	--

Updated					
500.020.020	A,B,C-M,C		500.020.020	A,B,C-M,C	
There is a dated, sequential narcotic inventory and control			The inventory of controlled substances is verified by 2		

Updated					
500.020.030	A,B,C-M,C		500.020.030	A,B,C-M,C	
The inventory of narcotics is checked and verified at least			Outdated medications are removed.		

Deleted					
500.020.040	A,B,C-M,C				
All narcotics and controlled substances are adequately					

Deleted					
500.020.051	A,B,C-M,C				
Routine medications are stored in a specific area.					

Updated					
500.020.055	A,B,C-M,C		500.020.055	C-M,C	
All drugs and biologicals given to patients must be approved			Neuromuscular blocking agents including non-depolarizing		

Updated					
500.020.060	A,B,C-M,C		500.020.060	B,C-M,C	
All drugs and biologicals must be current, dated and			If benzodiazepine is used in the facility, a reversing agent		

Deleted					
500.020.065	A,B,C-M,C				
All refrigerators must be monitored for proper temperature.					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
500.020.075	A,B,C-M,C				
The ambulatory surgery facility's pharmaceutical services					

Deleted					
500.020.080	A,B,C-M,C				
The ambulatory surgery facility's pharmaceutical services					

Deleted					
500.020.085	A,B,C-M,C				
There must be a policy for disposal of discontinued or					

Updated					
500.020.090	A,B,C-M,C		500.020.090	A,B,C-M,C	
416.48 Pharmaceutical services.			The ambulatory surgery facility must provide drugs and		

Updated					
500.020.095	A,B,C-M,C		500.020.095	A,B,C-M,C	
(a) <i>Standard: Administration of drugs.</i> Drugs must be			Drugs must be prepared and administered according to		

Updated					
500.020.105	A,B,C-M,C		500.020.105	A,B,C-M,C	
(3) Orders given orally for drugs and biologicals must be			Orders given orally for drugs and biologicals must be		

Deleted					
500.021.010	A,B,C-M,C				
A copy of the current, complete ACLS Algorithms must be					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
500.021.011	A,B,C-M,C				
The following medication must be available in the facility at					

Deleted					
500.021.012	A,B,C-M,C				
The following medication must be available in the facility at					

Deleted					
500.021.013	A,B,C-M,C				
All medication included in the current ACLS Algorithm must					

Deleted					
500.021.014	B,C-M,C				
The following medication must be available in the facility at					

Updated					
500.021.015	C		500.021.015	A,B,C-M,C	
A minimum of 1000cc (IV bag or similar container) of			A transportable “crash” cart or kit is maintained independent		

Deleted					
500.021.016	C				
A minimum of four (4) 50cc ampules of NaHCO3.					

Deleted					
500.021.017	C				
A minimum of twelve (12) vials of Dantrolene.					

Updated					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

500.021.018	C		500.021.018	A,B,C-M,C	
The necessary additional 24 vials of Dantrolene and required			The following medication must be available in the facility at		

Updated					
500.021.019	A,B,C-M,C		500.021.019	A,B,C-M,C	
Seizure arresting medication (a benzodiazepine, e.g.					

Updated					
500.021.020	A,B,C-M,C		500.021.020	A,B,C-M,C	
Bronchospasm arresting medication (inhaled beta agonist,			The following medication must be available in the facility at		

Deleted					
500.021.021	A,B,C-M,C				
Vasopressors other than Epinephrine.					

Deleted					
500.021.022	A,B,C-M,C				
IV Antihistamines (e.g. Diphenhydramine).					

Updated					
500.021.023	A,B,C-M,C		500.021.023	A,B,C-M,C	
Anti-Hypertensives.					

Deleted					
500.021.024	A,B,C-M,C				
Atropine.					

Updated					
500.021.025	C-M,C		500.021.025	A,B,C-M,C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Neuromuscular blocking agents including non-depolarizing	The following medication must be available in the facility at
--	---

Updated					
500.021.026	A,B,C-M,C		500.021.026	A,B,C-M,C	

Intravenous corticosteroids (e.g. Dexamethasone).	The following medication must be available in the facility at
---	---

Updated					
500.021.027	B,C-M,C		500.021.027	A,B,C-M,C	

Benzodiazepine reversing agent (e.g. Mazicon™,	The following medication must be available in the facility at
--	---

Deleted					
500.021.030	A,B,C-M,C				

Oral nitroglycerine.	
----------------------	--

Updated					
500.021.035	A,B,C-M,C		500.021.035	B,C-M,C	

Seizure arresting medication (a benzodiazepine, e.g.	The following medication must be available in the facility at
--	---

Updated					
500.021.040	A,B,C-M,C		500.021.040	A,B,C-M,C	

Short-acting beta-blocker (e.g. Esmolol or Labetalol).	
--	--

Deleted					
500.030.000					

If potential Malignant Hyperthermia triggering agents such	
--	--

Deleted					
500.030.010	C-M,C				

There must be adequate screening for MH risk that includes	
--	--

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
500.030.015	C-M,C				
The facility director and all operating surgeons and					

Deleted					
500.030.020	C-M,C				
The medical director should be able to demonstrate that all					

Deleted					
500.030.025	C-M,C				
The medical director will insure that all staff are trained and					

Deleted					
500.030.030	C-M,C				
A minimum of 1000 ML (IV bag or similar container) of					

Deleted					
500.030.035	B,C-M,C				
A minimum of four (4) 50cc ampoules of NaHCO ₃ .					

Deleted					
500.030.040	C-M,C				
A minimum of twelve (12) vials of Dantrolene.					

Deleted					
500.030.050	C-M,C				
The MHAUS Malignant Hyperthermia Algorithms must be					

AAAASF Medicare 6.8.5

Deleted					
500.030.055	C-M,C				
Flow sheets for any MH intervention as well as forms to					

AAAASF Medicare 7.0

Deleted					
500.030.060	C-M,C				
Facilities should establish the best destination as a transfer					

Updated					
600.010.002	A,B,C-M,C		600.010.002	A,B,C-M,C	
Medical records must be retained the number of years as			The facility must develop and maintain a system for the		

Updated					
600.010.005	A,B,C-M,C		600.010.005	A,B,C-M,C	
Medical records must be legible, documented and completed			Electronic medical records (EMR) must comply with security		

Updated					
600.010.010	A,B,C-M,C		600.010.010	A,B,C-M,C	
Medical records are filed for easy accessibility, and must be			Medical record for each patient must be accurate, legible, and		

Updated					
600.010.020	A,B,C-M,C		600.010.020	A,B,C-M,C	
Appropriate patient identification and information is easily			Medical records are filed for easy accessibility, and must be		

Deleted					
600.010.021	A,B,C-M,C				
Medical records must be kept secure and confidential in a					

Updated					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

600.010.030	A,B,C-M,C		600.010.030	A,B,C-M,C	
Significant medical history and results of physical			Medical clearance should be recorded, if applicable. A		

Deleted					
600.010.031	A,B,C-M,C				
The history and physical examination should cover					

Updated					
600.010.035	A,B,C-M,C		600.010.035	A,B,C-M,C	
Medical clearance should be recorded, if applicable. A			Significant medical history and a physical		

Deleted					
600.010.040	A,B,C-M,C				
416.47 Medical Records.					

Deleted					
600.010.041	A,B,C-M,C				
(a) <i>Standard: Organization.</i> The ASC must develop and					

Deleted					
600.010.045	A,B,C-M,C				
The ASC must maintain a medical record for each patient.					

Deleted					
600.010.051	A,B,C-M,C				
The medical records of the facility must be properly indexed					

Deleted					
600.010.055	A,B,C-M,C				

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

The ambulatory surgery facility must make sure that the	
---	--

Deleted					
600.010.060	A,B,C-M,C				
All Medical Records must include at least the following:					

Deleted					
600.010.065	A,B,C-M,C				
All medical records must include entries related to					

Updated					
600.011.000			600.011.000		
Pre operative medical record includes the following					

Updated					
600.011.005	A,B,C-M,C		600.011.005	A,B,C-M,C	
Treating physicians or appropriate consultants are contacted			A pregnancy testing policy must be in place that		

Deleted					
600.011.006	A,B,C-M,C				
Appropriate laboratory procedures are performed where					

Updated					
600.011.010	A,B,C-M,C		600.011.010	A,B,C-M,C	
The medical record includes responses to the following			The pre-operative medical record includes responses		

Deleted					
600.011.011	A,B,C-M,C				
The medical record includes responses to the following					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
600.011.012	A,B,C-M,C				
The medical record includes responses to the following					

Deleted					
600.011.013	A,B,C-M,C				
The medical record includes responses to the following					

Deleted					
600.011.014	A,B,C-M,C				
The medical record includes responses to the following					

Updated					
600.011.015	A,B,C-M,C		600.011.015	A,B,C-M,C	
The medical record includes responses to the following			The pre-operative medical record includes		

Updated					
600.011.020	A,B,C-M,C		600.011.020	A,B,C-M,C	
The medical history includes pre-operative diagnostic studies			The pre-operative medical record includes		

Updated					
600.011.025	A,B,C-M,C		600.011.025	A,B,C-M,C	
Blood pressure, pulse, respiration and temperature should be			The pre-operative medical record includes responses		

Updated					
600.011.030	A,B,C-M,C		600.011.030	A,B,C-M,C	
The ambulatory surgery center must have documentation of			The pre-operative medical record includes		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
600.012.000					

Deleted					
600.012.015	A,B,C-M,C				
If radiologic services are utilized, the governing body					

Deleted					
600.012.020	A,B,C-M,C				
The ambulatory surgery facility must have a written policy for					

Deleted					
600.012.025	A,B,C-M,C				
Ambulatory surgery center laboratories must meet the					

Deleted					
600.012.030	A,B,C-M,C				
The ambulatory surgery facility's policies and procedures					

Deleted					
600.012.035	A,B,C-M,C				
416.49 Condition for Coverage - Laboratory and					

Deleted					
600.012.040	A,B,C-M,C				
Any referral laboratory must be certified in the appropriate					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

600.012.045	A,B,C-M,C				
All laboratories must be CLIA approved according to CLIA					

Updated					
600.020.000					

Updated					
600.020.010	A,B,C-M,C		600.020.010	A,B,C-M,C	
An informed consent is routinely obtained which specifically			Properly executed informed consent forms are		

Deleted					
600.020.011	A,B,C-M,C				
Expectations, alternatives, risks and complications are					

Updated					
600.020.020	A,B,C-M,C		600.020.020	A,B,C-M,C	
The informed consent form provides consent for			The informed consent provides consent for administration of		

Updated					
600.030.020	A,B,C-M,C		600.030.020	A,B,C-M,C	
All laboratory results must be reviewed by the R.N. or			All other reports, such as pathology reports and medical		

Deleted					
600.030.025	A,B,C-M,C				
Outside clinical laboratory procedures must be performed by a					

Updated					
600.030.030	A,B,C-M,C		600.030.030	A,B,C-M,C	

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

All other reports such as pathology reports and medical	The name of the pathologist must be on all pathology reports.
---	---

Deleted					
600.030.035	A,B,C-M,C				
The name of the pathologist must be on all pathology reports.					

Deleted					
600.030.040	A,B,C-M,C				
The name of the health care provider appears on the report.					

Deleted					
600.030.050	A,B,C-M,C				
If tests/studies are done in the facility, the laboratory meets					

Deleted					
600.030.051	A,B,C-M,C				
Services provided through contract must be provided in a safe					

Deleted					
600.030.060	A,B,C-M,C				
Tissue specimens from surgical procedures that are to be					

Deleted					
600.030.065	A,B,C-M,C				
If the ASC does not provide its own laboratory services, it					

Deleted					
600.040.001	B,C-M,C				
A separate surgical log of major cases is maintained, either in					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
600.040.002	B,C-M,C				
A Surgical Log must include: Sequential numerical listing of					

Deleted					
600.040.003	B,C-M,C				
A Surgical Log must include: Date of surgery.					

Deleted					
600.040.004	B,C-M,C				
A Surgical Log must include: Patient's name and/or					

Deleted					
600.040.005	B,C-M,C				
A Surgical Log must include: Procedure(s)/Surgery(s).					

Deleted					
600.040.006	B,C-M,C				
A Surgical Log must include: Surgeon's name.					

Deleted					
600.040.007	B,C-M,C				
A Surgical Log must include: Type of anesthesia.					

Deleted					
600.040.008	B,C-M,C				
A Surgical Log must include: Name of person(s)					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
600.040.009	B,C-M,C				
A Surgical Log must include: Name of person(s) assisting					

Updated					
600.040.010	B,C-M,C		600.040.010	A,B,C-M,C	
A separate anesthesia record is maintained in each patient's			A separate surgical log of all cases is maintained, either in a		

Deleted					
600.040.011	B,C-M,C				
Vital signs are recorded during surgery.					

Deleted					
600.040.012	B,C-M,C				
All medications given to a patient are recorded by date, time					

Deleted					
600.040.013	B,C-M,C				
All intravenous and subcutaneously administered fluids given					

Updated					
600.040.020	B,C-M,C		600.040.020	A,B,C-M,C	
Post-operative vital signs are recorded at suitable intervals			A surgical log must include the date of surgery.		

Updated					
600.040.030	B,C-M,C		600.040.030	A,B,C-M,C	
There is an operative report which includes operative			A surgical log must include record of surgery(ies) and other		

Updated					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

600.040.040	B,C-M,C		600.040.040	A,B,C-M,C	
Post-operative progress notes are recorded.			A surgical log must include record of the type of anesthesia		

Updated					
700.010.005	A,B,C-M,C		700.010.005	A,B,C-M,C	
The ASC, with the active participation of the medical staff,			The ASC must develop, implement and maintain an ongoing,		

Deleted					
700.010.011	A,B,C-M,C				
<i>The governing body has oversight as follows:</i>					

Deleted					
700.010.012	A,B,C-M,C				
The facility has a written Quality Improvement Program in					

Deleted					
700.010.013	A,B,C-M,C				
The facility has a written Quality Improvement Program in					

Deleted					
700.010.014	A,B,C-M,C				
The facility has a written Quality Improvement Program in					

Updated					
700.010.015	A,B,C-M,C		700.010.015	A,B,C-M,C	
416.43 Quality assessment and performance improvement.			The facility has a written quality improvement program		

Updated					
700.010.040	A,B,C-M,C		700.010.040	A,B,C-M,C	

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

(a) <i>Standard: Program scope.</i> (1) The program must include,	The program must include, but not be limited to, an ongoing
---	---

Updated					
700.010.041	A,B,C-M,C		700.010.041	A,B,C-M,C	
(2) The ASC must measure, analyze, and track quality			The ASC must measure, analyze, and track quality indicators,		

Updated					
700.010.046	A,B,C-M,C		700.010.046	A,B,C-M,C	
(c) <i>Standard: Program activities.</i> (1) The ASC must set			The ASC must set priorities for its performance		

Updated					
700.010.047	A,B,C-M,C		700.010.047	A,B,C-M,C	
(ii) Consider incidence, prevalence, and severity of problems			The ASC must set priorities for its performance activities that		

Updated					
700.010.048	A,B,C-M,C		700.010.048	A,B,C-M,C	
(iii) Affect health outcomes, patient safety, and quality of			The ASC must set priorities for its performance improvement		

Updated					
700.010.049	A,B,C-M,C		700.010.049	A,B,C-M,C	
(2) Performance improvement activities must track adverse			Performance improvement activities must track adverse		

Updated					
700.010.050	A,B,C-M,C		700.010.050	A,B,C-M,C	
(3) The ASC must implement preventive strategies			The ASC must implement preventive strategies throughout		

Updated					
700.010.052	A,B,C-M,C		700.010.052	A,B,C-M,C	
(d) <i>Standard: Performance improvement projects.</i> (1) The			The number and scope of distinct improvement projects		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Updated					
700.010.053	A,B,C-M,C		700.010.053	A,B,C-M,C	
(2) The ASC must document the projects that are being			The ASC must document the projects that are being		

Updated					
700.010.057	A,B,C-M,C		700.010.057	A,B,C-M,C	
The ASC must use the data collected to:			The ASC must use the data collected to monitor the		

Updated					
700.010.058	A,B,C-M,C		700.010.058	A,B,C-M,C	
The ASC must use the data collected to:			The ASC must use the data collected to identify opportunities		

Updated					
700.010.061	A,B,C-M,C		700.010.061	A,B,C-M,C	
(e) <i>Standard: Governing body responsibilities.</i> The			The governing body must ensure that the QAPI program is		

Updated					
700.010.062	A,B,C-M,C		700.010.062	A,B,C-M,C	
(2) Addresses the ASC's priorities and that all improvements			The governing body must ensure that the QAPI program		

Updated					
700.010.063	A,B,C-M,C		700.010.063	A,B,C-M,C	
(3) Specifies data collection methods, frequency, and details.			The governing body must ensure that the QAPI program		

Updated					
700.010.064	A,B,C-M,C		700.010.064	A,B,C-M,C	
(4) Clearly establishes its expectations for safety.			The governing body must ensure that the QAPI program		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Updated					
700.010.065	A,B,C-M,C		700.010.065	A,B,C-M,C	
(5) Adequately allocates sufficient staff, time, information			The governing body must ensure that the QAPI program		

Updated					
700.020.000	A, B, C-M, C		700.020.000	A, B, C-M, C	
<i>Note: To be HIPAA compliant, a copy of the HIPAA</i>			<i>Note: To be HIPAA compliant, a copy of the HIPAA</i>		

Updated					
700.020.010	A,B,C-M,C		700.020.010	A,B,C-M,C	
Peer review is performed at least every six months and			Peer review is performed and submitted to the online system		

Updated					
700.020.020	A,B,C-M,C		700.020.020	A,B,C-M,C	
If peer review sources external to the facility are used to			Peer Review is done by a recognized peer review organization		

Deleted					
700.020.030	A,B,C-M,C				
Peer Review is done by a recognized peer review organization					

Updated					
700.030.010	A,B,C-M,C		700.030.010	A,B,C-M,C	
A minimum of six cases for each surgeon operating in the			A minimum of 6 cases for each surgeon operating in the		

Deleted					
700.030.021	A,B,C-M,C				
Random case reviews must include assessment of: Adequacy					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

700.030.022	A,B,C-M,C				
Random case reviews must include assessment of: Adequacy of					

Deleted					
700.030.023	A,B,C-M,C				
Random case reviews must include assessment of: Presence of					

Deleted					
700.030.024	A,B,C-M,C				
Random case reviews must include assessment of: Presence of					

Updated					
700.030.025	B,C-M,C		700.030.025	A,B,C-M,C	
Random case reviews must include assessment of: Anesthesia			Random case reviews must include, at a minimum, record of		

Deleted					
700.030.026	A,B,C-M,C				
Random case reviews must include assessment of: Presence of					

Deleted					
700.030.027	A,B,C-M,C				
Random case reviews must include assessment of:					

Updated					
700.040.000			700.040.000		
			All Unanticipated operative sequelae which occur within		

Deleted					
700.040.011	A,B,C-M,C				

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

All Unanticipated Operative Sequelae which occur within 30	
--	--

Deleted					
700.040.012	A,B,C-M,C				
All Unanticipated Operative Sequelae which occur within 30					

Deleted					
700.040.013	A,B,C-M,C				
All Unanticipated Operative Sequelae which occur within 30					

Deleted					
700.040.014	A,B,C-M,C				
All Unanticipated Operative Sequelae which occur within 30					

Updated					
700.040.015	A,B,C-M,C		700.040.015	A,B,C-M,C	
All Unanticipated Operative Sequelae which occur within 30			review record of any unscheduled return to the operating		

Deleted					
700.040.016	A,B,C-M,C				
All Unanticipated Operative Sequelae which occur within 30					

Deleted					
700.040.017	A,B,C-M,C				
All Unanticipated Operative Sequelae which occur within 30					

Deleted					
700.040.018	A,B,C-M,C				
All Unanticipated Operative Sequelae which occur within 30					

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
700.040.021	A,B,C-M,C				
Each Unanticipated Operative Sequelae chart review includes					

Deleted					
700.040.022	A,B,C-M,C				
Each Unanticipated Operative Sequelae chart review includes					

Deleted					
700.040.023	A,B,C-M,C				
Each Unanticipated Operative Sequelae chart review includes					

Deleted					
700.040.024	A,B,C-M,C				
Each Unanticipated Operative Sequelae chart review includes					

Updated					
700.040.025	A,B,C-M,C		700.040.025	A,B,C-M,C	
Each Unanticipated Operative Sequelae chart review includes			Review record of any cardiac or respiratory problems during		

Updated					
700.040.050	A,B,C-M,C		700.040.050	A,B,C-M,C	
Death occurring within 30 days of a procedure done in an			Review record of any death occurring within 30 days of a		

Updated					
700.050.000					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Updated					
700.050.010	A,B,C-M,C		700.050.010	A,B,C-M,C	
A Patient's Bill of Rights is prominently displayed in a place			A copy of the AAAASF Patient's Rights is prominently		

Deleted					
700.050.020	A,B,C-M,C				
The patient's bill of rights is adhered to by the facility					

Updated					
700.050.050	A,B,C-M,C		700.050.050	A,B,C-M,C	
The ASC must provide the patient or the patient's			The ASC must provide the patient or the patient's		

Updated					
700.050.051	A,B,C-M,C		700.050.051	A,B,C-M,C	
Post the written notice of patient rights in a place or places			The ASC's notice of rights must include the name, address,		

Updated					
700.050.052	A,B,C-M,C		700.050.052	A,B,C-M,C	
The ASC must also disclose, where applicable, physician			The ASC must also disclose, where applicable, physician		

Deleted					
700.050.055	A,B,C-M,C				
The ASC must inform the patient or patient's representative					

Updated					
700.060.015	A,B,C-M,C		700.060.015	A,B,C-M,C	
(2) If a patient is adjudged incompetent under applicable			If a patient is adjudged incompetent under applicable State		

Updated					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

700.060.016	A,B,C-M,C		700.060.016	A,B,C-M,C	
(3) If a State court has not adjudged a patient incompetent,			If a State court has not adjudged a patient incompetent, any		

Deleted					
700.060.026	A, B, C-M, C				
416.50(e) Standard: Exercise of rights and respect for					

Updated					
700.060.030	A,B,C-M,C		700.060.030	A,B,C-M,C	
(g) <i>Standard: Confidentiality of clinical records.</i> The ASC			The ASC must comply with the Department of Health and		

Updated					
700.060.041	A,B,C-M,C		700.060.041	A,B,C-M,C	
The ASC must establish a grievance procedure for			The ASC must establish a grievance procedure for		

Updated					
700.060.051	A,B,C-M,C		700.060.051	A,B,C-M,C	
The patient has a right to:			The patient has a right to personal privacy		

Updated					
700.060.052	A,B,C-M,C		700.060.052	A,B,C-M,C	
The patient has a right to:			The patient has a right to receive care in a safe setting.		

Updated					
700.060.053	A,B,C-M,C		700.060.053	A,B,C-M,C	
The patient has a right to:			The patient has a right to be free from all forms of abuse or		

Updated					
800.005.000			800.005.000		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

<i>The Medical Director must have an M.D. Or D.O. degree.</i>	<i>The Medical Director must have an MD or DO degree.</i>
---	---

Updated					
800.005.010	A,B,C-M,C		800.005.010	A,B,C-M,C	
The Medical Director must be a physician currently licensed			The medical director must be a physician currently licensed		

Updated					
800.005.015	A,B,C-M,C		800.005.015	A,B,C-M,C	
The Medical Director must be a physician either certified by			The medical director must be a physician certified or eligible		

Updated					
800.005.020	A,B,C-M,C		800.005.020	A,B,C-M,C	
The Medical Director must be board certified and practicing			The medical director must be actively involved in		

Deleted					
800.005.025	A,B,C-M,C				
The Medical Director must be actively involved in the routine					

Deleted					
800.010.005	A,B,C-M,C				
The staff is responsible to the ASC.					

Updated					
800.010.020	A,B,C-M,C		800.010.020	A,B,C-M,C	
Each physician, podiatrist, or oral maxillofacial surgeon			Physicians, podiatrists or oral and maxillofacial surgeons who		

Updated					
800.010.040	A,B,C-M,C		800.010.040	A,B,C-M,C	
All individuals using the facility must meet one of the			Any change in the physician, podiatrist, or oral and		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
800.010.050	A,B,C-M,C				
Each physician, podiatrist or oral and maxillofacial surgeon					

Deleted					
800.010.055	A,B,C-M,C				
If the physician, podiatrist, or oral and maxillofacial surgeon					

Deleted					
800.010.060	A,B,C-M,C				
Physicians, podiatrists or oral and maxillofacial surgeons who					

Deleted					
800.010.065	A,B,C-M,C				
Licensed practical nurses or vocational nurses may be					

Deleted					
800.010.070	A,B,C-M,C				
There must be a registered nurse available for emergency					

Deleted					
800.010.075	A,B,C-M,C				
All nursing staff must hold a current license for the state in					

Deleted					
800.010.080	A,B,C-M,C				
Personnel trained in the use of emergency equipment and in					

AAAASF Medicare 6.8.5

Deleted					
800.010.085	A,B,C-M,C				
A physician, CRNA or RN with Advanced Cardiac Life					

AAAASF Medicare 7.0

Deleted					
800.010.090	A,B,C-M,C				
Patient care responsibilities must be delineated for all nursing					

Deleted					
800.010.095	A,B,C-M,C				
416.46 Nursing Services.					

Updated					
800.010.100	A,B,C-M,C		800.010.100	A,B,C-M,C	
(a) <i>Standard: Membership and clinical privileges.</i> Members			Members of the medical staff must be legally and		

Updated					
800.010.105	A,B,C-M,C		800.010.105	A,B,C-M,C	
(b) <i>Standard: Reappraisals.</i> Medical staff privileges must be			Medical staff privileges must be periodically reappraised by		

Deleted					
800.010.110	A,B,C-M,C				
(c) <i>Standard: Other practitioners.</i> If the ASC assigns patient					

Deleted					
800.010.115	A,B,C-M,C				
Any change in the physician, podiatrist or oral and					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

800.010.120	A,B,C-M,C				
Any action affecting the current professional license of the					

Deleted					
800.020.010	B,C-M,C				
If anesthesiologists and/or CRNA participate in patient care					

Deleted					
800.020.011	B,C-M,C				
The anesthesiologists and/or CRNA must be licensed by the					

Deleted					
800.020.012	C-M,C				
The anesthesiologists and/or CRNA must be responsible for					

Deleted					
800.020.013	C-M,C				
The anesthesiologists and/or CRNA must ensure that all					

Deleted					
800.020.014	C-M,C				
The anesthesiologist and/or CRNA cannot function in any					

Deleted					
800.020.016	A,B,C-M,C				
Any changes in the physician or podiatrist staff must be					

Deleted					
800.020.017	A,B,C-M,C				

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Any action affecting the current medical license of the facility	
--	--

Deleted					
800.020.020	A,B,C-M,C				
Practitioners of Pain management would be required to meet					

Updated					
800.030.000					

Deleted					
800.030.011	B,C-M,C				
Must meet acceptable standards as defined by their					

Updated					
800.030.020	B,C-M,C		800.030.020	B,C-M,C	
There is a regularly employed Registered Nurse or physician			When a patient is present in the facility to undergo a		

Deleted					
800.030.021	B,C-M,C				
There is a regularly employed Registered Nurse or physician					

Updated					
800.040.000					

Updated					
800.040.000			800.040.000	A,B,C-M,C	
IMPORTANT: Employee information such as previous					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
800.040.011	A,B,C-M,C				
The manual contains personnel policies and records which					

Deleted					
800.040.012	A,B,C-M,C				
Personnel records must contain the following: Any health					

Updated					
800.041.000					

Updated					
800.041.010	A,B,C-M,C		800.041.010	A,B,C-M,C	
Personnel records must contain the following: Resume of			Personnel records contain		

Deleted					
800.041.011	A,B,C-M,C				
Personnel records must contain the following: Current					

Deleted					
800.041.012	A,B,C-M,C				
Personnel records must contain the following: Date of					

Deleted					
800.041.013	A,B,C-M,C				
Personnel records must contain the following: Description of					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
800.041.014	A,B,C-M,C				
Personnel records must contain the following: Record of					

Updated					
800.041.015	A,B,C-M,C		800.041.015	A,B,C-M,C	
Personnel records must contain the following: Inoculation or			Personnel records contain		

Updated					
800.042.000			800.042.000		

Updated					
800.042.010	A,B,C-M,C		800.042.010	A,B,C-M,C	
Personnel records must contain the following: Hazard Safety			Personnel records contain training documentation relative to		

Deleted					
800.042.011	A,B,C-M,C				
Personnel records must contain the following: Bloodborne					

Deleted					
800.042.012	A,B,C-M,C				
Personnel records must contain the following: Universal					

Deleted					
800.042.013	A,B,C-M,C				
Personnel records must contain the following: Other safety					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

800.042.014	A,B,C-M,C				
Personnel records must contain the following: At least Basic					

Updated					
800.050.010	A,B,C-M,C		800.050.010	A,B,C-M,C	
The operating room personnel have adequate knowledge to			The operating room personnel have knowledge of MH,		

Updated					
800.050.015	A,B,C-M,C		800.050.015	A,B,C-M,C	
The ambulatory surgery facility staff must have training for			The procedure room personnel are familiar with equipment		

Updated					
800.050.020	A,B,C-M,C		800.050.020	A,B,C-M,C	
The operating room personnel are familiar with the			If a gas sterilizer is used, personnel are thoroughly familiar		

Deleted					
800.050.025	A,B,C-M,C				
Certified Operating Room Technicians should be certified by					

Deleted					
800.050.030	A,B,C-M,C				
If a gas sterilizer is used, personnel are thoroughly familiar					

Deleted					
800.050.035	A,B,C-M,C				
The Certified Operating Room Technician must not only be					

Updated					
800.060.010	A,B,C-M,C		800.060.010	A,B,C-M,C	

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

If a gas sterilizer is used, appropriate personnel are badge	If an ethylene oxide gas sterilizer is used, appropriate
--	--

Updated				
800.060.020	C		800.060.020	A,B,C-M,C
Personnel are properly trained in the control procedures and		There is a written policy for what is considered to be personal		

Deleted				
800.060.030	A,B,C-M,C			
There is a written policy for what is considered to be				

Updated				
900.000.000			900.000.000	
		The following anesthesia standards apply to all patients		

Updated				
900.000.000			900.000.000	
		The following anesthesia standards apply to all patients		

Updated				
900.010.000			900.010.000	A, B, C-M, C
		If children are operated upon in the facility, there should be a		

Updated				
900.010.000			900.010.000	A, B, C-M, C
		If children are operated upon in the facility, there should be a		

Updated				
900.010.010	A,B,C-M,C		900.010.010	A,B,C-M,C
The ASC has a governing body with full legal responsibility		A physician must examine the patient immediately before		

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Updated					
900.010.010	A,B,C-M,C		900.010.010	A,B,C-M,C	
The ASC has a governing body with full legal responsibility			A physician must examine the patient immediately before		

Deleted					
900.010.011	A,B,C-M,C				
The governing body: Sets policy on how individual surgeons					

Updated					
900.010.012	A,B,C-M,C		900.010.012	C-M,C	
The governing body: Sets policy on surgeons role in properly			A physician or anesthesiologists provider must verify that all		

Updated					
900.010.012	A,B,C-M,C		900.010.012	C-M,C	
The governing body: Sets policy on surgeons role in properly			A physician or anesthesiologists provider must verify that all		

Updated					
900.010.020	A,B,C-M,C		900.010.020	A,B,C-M,C	
The governing body: Is regulated by a governing document			A physician must verify that the patient or a responsible adult		

Updated					
900.010.020	A,B,C-M,C		900.010.020	A,B,C-M,C	
The governing body: Is regulated by a governing document			A physician must verify that the patient or a responsible adult		

Updated					
900.010.030	A,B,C-M,C		900.010.030	A,B,C-M,C	
The rules and regulations of the governing body are reviewed			The anesthetic care plan is based on		

AAAASF Medicare 6.8.5

Updated					
900.010.030	A,B,C-M,C		900.010.030	A,B,C-M,C	
The rules and regulations of the governing body are reviewed			The anesthetic care plan is based on		

AAAASF Medicare 7.0

Updated					
900.010.040	A,B,C-M,C		900.010.040	A,B,C-M,C	
Deficiencies within the ASC or within the rules and			The anesthetic care plan is based on		

Updated					
900.010.040	A,B,C-M,C		900.010.040	A,B,C-M,C	
Deficiencies within the ASC or within the rules and			The anesthetic care plan is based on		

Updated					
900.010.050	A,B,C-M,C		900.010.050	A,B,C-M,C	
The minutes of each official “Governance” meeting are			The anesthetic care plan is based on		

Updated					
900.010.050	A,B,C-M,C		900.010.050	A,B,C-M,C	
The minutes of each official “Governance” meeting are			The anesthetic care plan is based on		

Updated					
900.010.060	A,B,C-M,C		900.010.060	A,B,C-M,C	
The governing body: Has a policy for addressing potential			The anesthetic care plan is based on		

Updated					
900.010.060	A,B,C-M,C		900.010.060	A,B,C-M,C	
The governing body: Has a policy for addressing potential			The anesthetic care plan is based on		

Updated					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

900.010.070	A,B,C-M,C		900.010.070	A,B,C-M,C	
Full disclosure of ownership is known and available to all			The operating surgeon concurs with the anesthesia plan		

Updated					
900.010.070	A,B,C-M,C		900.010.070	A,B,C-M,C	
Full disclosure of ownership is known and available to all			The operating surgeon concurs with the anesthesia plan		

Updated					
900.021.000					

Updated					
900.021.010	A,B,C-M,C		900.021.010	C	
The governing body is responsible for the operation and			Patient monitoring during anesthesia consists of assessment		

Updated					
900.021.010	A,B,C-M,C		900.021.010	C	
The governing body is responsible for the operation and			Patient monitoring during anesthesia consists of assessment		

Deleted					
900.021.011	A,B,C-M,C				
The governing body is responsible for the operation and					

Deleted					
900.021.012	A,B,C-M,C				
The governing body is responsible for the operation and					

Deleted					
900.021.013	A,B,C-M,C				

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

The governing body: Assumes full responsibility for	
---	--

Deleted					
900.021.014	A,B,C-M,C				
The governing body is responsible for the operation and					

Updated					
900.021.015	A,B,C-M,C		900.021.015	B,C-M,C	
The governing body is responsible for the operation and			Patient monitoring during anesthesia consists of pulse		

Updated					
900.021.015	A,B,C-M,C		900.021.015	B,C-M,C	
The governing body is responsible for the operation and			Patient monitoring during anesthesia consists of pulse		

Updated					
900.021.016	A,B,C-M,C		900.021.016	C	
The governing body is responsible for the operation and			Patient monitoring during anesthesia consists of end		

Updated					
900.021.016	A,B,C-M,C		900.021.016	C	
The governing body is responsible for the operation and			Patient monitoring during anesthesia consists of end		

Deleted					
900.021.017	A,B,C-M,C				
The governing body is responsible for the operation and					

Deleted					
900.021.018	A,B,C-M,C				
The governing body is responsible for the operation and					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
900.021.019	A,B,C-M,C				
The governing body is responsible for the operation and					

Deleted					
900.021.020	A,B,C-M,C				
416.45 Medical Staff					

Deleted					
900.030.000					

Deleted					
900.030.010	A,B,C-M,C				
The appointment of administrative personnel is documented.					

Deleted					
900.030.020	A,B,C-M,C				
The personnel of the ASC are provided with job descriptions					

Deleted					
900.040.000					

Deleted					
900.040.001	A,B,C-M,C				
The Administrator does not need to be a member of the					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
900.040.002	A,B,C-M,C				
The Administrator may be appointed as ASC's manager.					

Deleted					
900.040.010	A,B,C-M,C				
The Administrator is responsible for: Employing qualified					

Deleted					
900.040.011	A,B,C-M,C				
The Administrator is responsible for: Ensuring the					

Deleted					
900.040.012	A,B,C-M,C				
The Administrator is responsible for: Protecting the assets of					

Deleted					
900.040.013	A,B,C-M,C				
The Administrator is responsible for: Establishing and					

Deleted					
900.050.000					

Deleted					
900.050.010	A,B,C-M,C				
The governing body is responsible for the approval of the					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 6.8.5

900.050.020	A,B,C-M,C				
The governing body has defined the scope and intended use					

Deleted					
900.050.025	A,B,C-M,C				
The governing body of the ambulatory surgery center must					

Deleted					
900.050.030	A,B,C-M,C				
ASC usage is determined by the governing body by					

Deleted					
900.050.035	A,B,C-M,C				
The governing body of the ambulatory surgery center is					

Deleted					
900.050.040	A,B,C-M,C				
ASC privileges that the governing body approves are specific					

Deleted					
900.050.045	A,B,C-M,C				
The governing body must assure that all outside contract					

Deleted					
900.060.000					

Deleted					
900.060.010	A,B,C-M,C				

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

The governing body adheres to and promotes the AAAASF					
---	--	--	--	--	--

Deleted					
1000.000.000					

Deleted					
1000.000.001	A,B,C-M,C				
All anesthetics are delivered by either a physician qualified to					

Deleted					
1000.000.003	A,B,C-M,C				
(b) <i>Standard: Administration of anesthesia.</i> Anesthetics must					

Deleted					
1000.000.005	A,B,C-M,C				
There must be a pre-procedure note on the day of surgery by a					

Deleted					
1000.000.006	A,B,C-M,C				
(c) <i>Standard: State Exemption.</i> (1) An ASC may be					

Deleted					
1000.001.000					

Deleted					
1000.001.008	A, B, C-M, C				
(2) The request for exemption and recognition of State laws					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Updated					
1000.010.000	A, B, C-M, C				
If children are operated upon in the facility, there should be a					

Deleted					
1000.010.005	A,B,C-M,C				
Written policy for pediatric patients is available and current.					

Updated					
1000.010.010	A,B,C-M,C		1000.010.010	A,B,C-M,C	
(a) <i>Standard: Anesthetic risk and evaluation.</i> (1) A physician			The ASC has a governing body with full legal responsibility		

Deleted					
1000.010.011	A,B,C-M,C				
A physician must verify that an anesthesia care plan has been					

Deleted					
1000.010.021	A,B,C-M,C				
The anesthetic care plan is based on: A review of the medical					

Deleted					
1000.010.022	A,B,C-M,C				
The anesthetic care plan is based on: Medical history.					

Deleted					
1000.010.023	A,B,C-M,C				
The anesthetic care plan is based on: Prior anesthetic					

AAAASF Medicare 6.8.5

Deleted					
1000.010.024	A,B,C-M,C				
The anesthetic care plan is based on: Drug therapies.					

Deleted					
1000.010.025	A,B,C-M,C				
The anesthetic care plan is based on: Medical examination					

Deleted					
1000.010.026	A,B,C-M,C				
The anesthetic care plan is based on: A review of the medical					

Deleted					
1000.010.027	A,B,C-M,C				
The anesthetic care plan is based on: A determination relative					

Deleted					
1000.010.028	A,B,C-M,C				
The anesthetic care plan is based on: Providing appropriate					

Deleted					
1000.020.000	B,C-M,C				

Deleted					
1000.020.001	A,B,C-M,C				
“Continual” is defined as “repeated regularly and frequently					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

1000.020.002	C				
<i>Patient monitoring during anesthesia will consist of:</i>					

Deleted					
1000.020.003	B,C-M,C				
Oxygenation is assessed by pulse oximetry.					

Deleted					
1000.020.004	B,C-M,C				
Adequate illumination is available to assess patient color.					

Deleted					
1000.020.005	B,C-M,C				
Ventilation is noted by chest excursion.					

Deleted					
1000.020.006	C				
Ventilation is noted by breathing bag reservoir.					

Deleted					
1000.020.007	C				
Ventilation is noted by auscultation of breath sounds.					

Deleted					
1000.020.008	C				
Ventilation is noted by monitoring of end tidal expired CO2					

Deleted					
1000.020.009	C				

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Ventilation is noted by proper position of the endotracheal					
---	--	--	--	--	--

Updated					
1000.021.000					

Deleted					
1000.021.001	C				
The mechanical ventilator should have a continuous use					

Deleted					
1000.021.002	B,C-M,C				
Clinical signs are evaluated by continual observation during					

Deleted					
1000.022.001	B,C-M,C				
<i>Circulation may be monitored by one or several of the</i>					

Deleted					
1000.022.002	B,C-M,C				
<i>Circulation may be monitored by one or several of the</i>					

Deleted					
1000.022.003	B,C-M,C				
<i>Circulation may be monitored by one or several of the</i>					

Deleted					
1000.022.004	B,C-M,C				
<i>Circulation may be monitored by one or several of the</i>					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
1000.022.005	C-M,C				
<i>Circulation may be monitored by one or several of the</i>					

Deleted					
1000.022.006	C-M,C				
<i>Circulation may be monitored by one or several of the</i>					

Deleted					
1000.022.007	C-M,C				
<i>Circulation may be monitored by one or several of the</i>					

Deleted					
1000.023.000					

Deleted					
1000.023.011	C-M,C				
Temperature should be monitored when clinically significant					

Deleted					
1000.024.000					

Deleted					
1000.024.001	B,C-M,C				
A post anesthetic care unit (PACU) or recovery room is					

AAAASF Medicare 6.8.5

Deleted					
1000.024.002	B,C-M,C				
If a patient is not sent to PACU there is a specific order for					

Deleted					
1000.024.003	B,C-M,C				
Patients transferred to the PACU are accompanied by a					

Deleted					
1000.024.004	B,C-M,C				
Patients transferred to the PACU will be continually					

Deleted					
1000.025.000					

Deleted					
1000.025.001	B,C-M,C				
Evaluation in the PACU will include: Documentation of time					

Deleted					
1000.025.002	B,C-M,C				
Evaluation in the PACU will include: Assessment and					

Deleted					
1000.025.003	B,C-M,C				
Evaluation in the PACU will include: Transmission of a					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

1000.025.004	B,C-M,C				
Evaluation in the PACU will include: Transference of any					

Deleted					
1000.025.005	B,C-M,C				
A member of the anesthesia care team remains in the post					

Deleted					
1000.026.000					

Deleted					
1000.026.001	B,C-M,C				
Continued evaluation in the PACU will consist of:					

Deleted					
1000.026.002	B,C-M,C				
Continued evaluation in the PACU will consist of: Pulse					

Deleted					
1000.026.003	B,C-M,C				
A written, accurate post anesthetic care report is maintained.					

Deleted					
1000.026.005	B,C-M,C				
There is a written policy that a physician is immediately					

Deleted					
1000.027.000					

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

--	--	--	--	--	--

Deleted					
1000.027.001	B,C-M,C				
A physician is responsible for discharge from the PACU and					

Deleted					
1000.027.002	B,C-M,C				
Approved and standardized discharge criteria are used.					

Deleted					
1000.027.003	A,B,C-M,C				
(2) Before discharge, a Physician or an anesthetist as defined					

Deleted					
1000.029.000					

Deleted					
1000.029.001	B,C-M,C				
Equipment and supplies for anesthesia should include: A					

Deleted					
1000.029.002	A,B,C-M,C				
If a central source of piped oxygen is used, the system must					

Deleted					
1000.029.003	A,B,C-M,C				
Equipment and supplies for anesthesia should include:					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
1000.029.004	A,B,C-M,C				
There is an adequate and reliable source of suction.					

Deleted					
1000.029.005	C				
An adequate and reliable waste anesthetic scavenging system					

Deleted					
1000.029.006	A,B,C-M,C				
Self inflating bags, if used, are capable of delivering positive					

Deleted					
1000.029.007	C				
An anesthesia machine is required if volatile agents or nitrous					

Deleted					
1000.029.009	A,B,C-M,C				
Adequate illumination for patients, machines and monitoring					

Deleted					
1000.029.010	A,B,C-M,C				
Emergency cart is available with defibrillator, necessary					

Deleted					
1000.029.011	A,B,C-M,C				
There is a reliable means of two-way communication to					

AAAASF Medicare 6.8.5

Deleted					
1000.029.012	A,B,C-M,C				
Appropriate testing as per manufacturer specifications are					

Deleted					
1000.029.014	A,B,C-M,C				
Appropriately sized pediatric medical equipment is available					

Updated					
1000.030.000					

Deleted					
1000.030.001	B,C-M,C				
A licensed or qualified anesthesia provider, supervising or					

Deleted					
1000.030.002	B,C-M,C				
The surgeon and the licensed or qualified anesthesia provider					

Deleted					
1000.030.003	B,C-M,C				
Procedures should be of a duration and degree to permit					

Deleted					
1000.030.004	A,B,C-M,C				
A patient who by reason of pre-existing or other medical					

Deleted					
---------	--	--	--	--	--

AAAASF Medicare 7.0

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

1000.031.000					

Deleted					
1000.031.001	A,B,C-M,C				
Anesthesia personnel should review and be familiar with the					

Deleted					
1000.031.002	A,B,C-M,C				
Anesthesia personnel should be appropriately trained and					

Updated					
1600.010.001	A,B,C-M,C		1600.010.001	A,B,C-M,C	

Updated					
1600.010.001	A,B,C-M,C		1600.010.001	A,B,C-M,C	

Updated					
1600.010.001	A,B,C-M,C		1600.010.001	A,B,C-M,C	

Updated					
1600.010.001	A,B,C-M,C		1600.010.001	A,B,C-M,C	

Deleted					
9999.005.001	A,B,C-M,C				

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Each operating room: Has wiring that complies with original	
---	--

Updated				
9999.005.005	B,C-M,C		9999.005.005	B,C-M,C
The operating room has an emergency power source, (e.g. a		The operating room and recovery room have an emergency		

Deleted				
9999.005.010	B,C-M,C			
This emergency power source is able to begin generating				

Deleted				
9999.005.015	B,C-M,C			
The emergency power equipment is checked weekly to insure				

Deleted				
9999.005.020	A,B,C-M,C			
There is sufficient lighting at all times in all corridors to				

Deleted				
9999.005.025	A,B,C-M,C			
Sufficient electrical outlets are available, labeled and				

Deleted				
9999.005.030	A,B,C-M,C			
Hallways are at least 3'8" in width and a minimum of 7'6" in				

Deleted				
9999.005.035	A,B,C-M,C			
There are no stairs with three steps or more in hallways				

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
9999.005.040	A,B,C-M,C				
Door openings allow access of at least 2'10" wide.					

Deleted					
9999.005.045	A,B,C-M,C				
Emergency power source is available for life safety related					

Updated					
9999.005.050	A,B,C-M,C		9999.005.050		
All explosive and combustible materials and supplies are			All flammable and combustible materials and supplies		

Deleted					
9999.005.055	A,B,C-M,C				
Compressed gas cylinders are stored and handled in a safe					

Deleted					
9999.005.105	A,B,C-M,C				
The facility is equipped with smoke detectors.					

Deleted					
9999.005.110	A,B,C-M,C				
An adequate number and variety of fire extinguishers are					

Deleted					
9999.005.115	A,B,C-M,C				
Fire extinguishers are regularly inspected and conform to					

AAAASF Medicare 6.8.5

AAAASF Medicare 7.0

Deleted					
9999.005.125	A,B,C-M,C				
Fire exit signs are posted and illuminated according to the					

Deleted					
9999.005.130	A,B,C-M,C				
No door can be locked to interfere with exiting of any rooms					

Deleted					
9999.005.135	A,B,C-M,C				
No required exit requires traveling through spaces that					
